DESIGNS IN Double Knitting BY Beehive



PRICE 50¢
SERIES NO. 84

DESIGNS IN Double Knitting BY Beehive

Book No. 84

Front Cover

Boy's Cardigan, see page 6
Lady's Pullover, see page 16
Man's Pullover, see page 24

A Bumper Crop of beautiful Cardigans and Pullovers in plain knitting, textured knitting and highlighted with colourful knit-in patterns.

All designed for the sparkling shades of Beehive Superior Double Knitting which is Patonised for shrink resistance and Mothproofed for safety.

I'm the King of the Castle
See page 1

"Originals" in Sweaters for All the Family
See pages 10 and 11

Youthful Charmers
See page 5

For Gaiety and Fun
See page 17

Jacket for Ladies and Misses
See page 20

Smooth and Swish
See page 23

Trim cnd Smart
See page 27

PATONS & BALDWINS (CANADA) LIMITED • TORONTO 19

I'm the King of the Castle

CARDIGAN (left) see page 3

PULLOVERS (centre and right) see page 2

Pullover for Boys and Girls

With "V" or Round Neck . . .
Sleeves or Sleeveless
Shown on page 1 (centre and right)

MATERIALS:
Here is a sturdy little pullover for boys and girls knitted with Beehive Superior Double Knitting, which is so easy to knit and colourful too when you add the simple but effective coloured pattern. The Plain Pullover as shown on right, takes 3 (2 oz.) balls. **(***4 and 6—4 balls***).** The Pullover with Coloured Pattern as shown in centre, takes 3 (2 oz.) balls Main Colour, 1 ball Contrasting Colour (A) and approx. ½ oz. Contrasting Colour (B) for all sizes. Two No. 10 and two No. 7 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with Beehive Superior Double Knitting. One Stitch Holder. One Medium Crochet Hook and 3 Press Fasteners for Pullover with Round Neck. This style of pullover in men's sizes will be found in Beehive Book No. 79.

MEASUREMENTS:	Size 2	Size 4	Size 6
Chest measurement	21 ins.	23 ins.	24 ins.
Chest measurement of finished garment	22 "	24 "	25 "
Length from top of shoulder	12½ "	13½ "	14½ "
Length of sleeve underarm seam	9 "	11 "	13 "

Tension: 10 sts. and 13 rows = 2 ins. with No. 7 needles in Stocking st.

Check tension—see page 29.
For Washing Instructions—see page 29.

The instructions are written for size 2. Any changes necessary for sizes 4 and 6 are written in brackets thus:—( ).

BACK: **Note:** If knitting pullover in one colour, ignore all references to colour (A).

With (A) wool and No. 10 needles cast on 53 sts. **(***4—57 sts.***)** **(***6—61 sts.***).**
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K1. Repeat from * to end of row.
Repeat these 2 rows of (K1. P1) ribbing for 2 ins. **(***4—2 ins.***)** **(***6—2½ ins.***)** ending with 2nd row.
Change to No. 7 needles.

¶**For Plain Pullover:** Inc. 1.st. at beginning of row for sizes 2 and 4—dec. 1.st. at end of row for size 6 and continue even in Stocking st. on these 54 sts. **(***4—58 sts.***)** **(***6—60 sts.***)** until work from beginning (the cast-on edge) measures 8½ ins. **(***4—9 ins.***)** **(***6—9½ ins.***)** or desired length, ending with purl row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished chest measurement, whilst retaining the desired length. Shape armholes as given in right column. ¶

For Coloured Pattern: Join Main Colour and knit 1 row, purl 1 row.
Carrying the wools **loosely** at back (purl side) of work, see Stranded Method on page 24, and being careful to read **knit** rows from **right** to left and **purl** rows from **left** to right, work the 10 rows as given in Chart, working the 4 st. pattern 13 times **(***4—14 times***)** **(***6—15 times***)** across row. Break (A) and (C). Continue with Main Colour.
Work from ¶ to ¶ as given for Plain Pullover.


Read purl rows from this side
Last st. on knit rows
1st. st. on purl rows
4 st. pattern
Read knit rows from this side
CONTRASTING COLOUR (A)
CONTRASTING COLOUR (B)
MAIN COLOUR

To shape armholes: Cast off 3 sts. beginning next 2 rows. 48 sts. on needle. **(***4—52 sts.***)** **(***6—54 sts.***).**
Dec. 1.st. each end of needle on next and every alternate row to 42 sts. on needle. **(***4—44 sts.***)** **(***6—46 sts.***).**
Continue even until armhole from first shaping measures 4 ins. **(***4—4½ ins.***)** **(***6—5 ins.***)** ending with purl row.

To shape shoulders: Cast off 7 sts. beginning next 2 rows, 6 sts. **(***4 and 6—7 sts.***)** beginning following 2 rows.
Do not break wool, but leave remaining 16 sts. **(***4—16 sts.***)** **(***6—18 sts.***)** on spare needle.

FRONT: With (A) wool and No. 10 needles cast on 53 sts. **(***4—57 sts.***)** **(***6—61 sts.***)** and work exactly as given for Back to 48 sts. on needle. **(***4—52 sts.***)** **(***6—54 sts.***).**

To shape "V" neck: K2tog. K20. K2tog. **(***4—K2tog. K22. K2tog.***)** **(***6—K2tog. K23. K2tog.***).** Leave remaining sts. on st. holder. **Turn.**
Working on these 22 sts. **(***4—24 sts.***)** **(***6—25 sts.***)** dec. 1.st. each end of needle every alternate row to 18 sts. on needle. **(***4—18 sts.***)** **(***6—19 sts.***).**
Keeping armhole edge even, continue dec. 1.st. at neck edge on next alternate row then every 4th row to 13 sts. on needle. **(***4 and 6—14 sts.***).**
Continue even until armhole measures same as Back to shoulders, ending at armhole edge.

To shape shoulder: Cast off 7 sts. beginning next row for shoulder. Work 1 row even. Cast off remaining sts.

With right side of work facing, join wool at neck edge to remaining sts. and work other side to correspond.

To make neckband for "V" neck: Sew left shoulder seam. With right side of work facing, No. 10 needles and using the ball attached to Back, (or (A) wool, if desired) knit across sts. at back of neck. Pick up and knit 27 sts. **(***4—29 sts.***)** **(***6—31 sts.***)** along left side of neck. Pick up and knit 1.st. at centre front of neck. Pick up and knit 27 sts. **(***4—29 sts.***)** **(***6—31 sts.***)** along right side of neck. 71 sts. on needle. **(***4—75 sts.***)** **(***6—81 sts.***).**

1st row: *K1. P1. Repeat from * to last st. K1.
2nd row: K2. P1. *K1. P1. Repeat from * to 5 sts. at centre front of neck. P2tog. K1. P2tog. Rib to end of row.
3rd row: *K1. P1. Repeat from * to 5 sts. at centre front of neck. K2tog. P1. K2tog. Rib to end of row.
Repeat 2nd and 3rd rows once. Cast off **loosely** in ribbing.

To shape Round neck: Continue in Stocking st. dec. 1.st. each end of needle on next and every alternate row to 42 sts. on needle. **(***4—44 sts.***)** **(***6—46 sts.***).**
Continue even until armhole from first shaping measures 3 ins. **(***4 and 6—3½ ins.***)** ending with purl row.
Next row: K14. K2tog. **(***4—K15. K2tog.***)** **(***6—K16. K2tog.***).** Leave remaining sts. on spare needle. **Turn.**
Working on these 15 sts. **(***4—16 sts.***)** **(***6—17 sts.***)** continue in Stocking st. dec. 1.st. at neck edge every row to 13 sts. on needle. **(***4 and 6—14 sts.***).**
Continue even until armhole measures same as Back to shoulders, ending at armhole edge.
Shape shoulder as given for "V" neck.

Leaving next 10 sts. on st. holder for front of neck, with right side of work facing, join wool at neck edge to remaining sts. and work other side to correspond.

To make neckband for Round neck: Sew left shoulder seam. With right side of work facing, No. 10 needles and using the ball attached to Back, (or (A) wool, if desired) knit across sts. at back of neck. Pick up and knit 10 sts. **(***4—11 sts.***)** **(***6—12 sts.***)** along left side of neck. Knit across sts. from st. holder at front of neck. Pick up and knit 10 sts. **(***4—11 sts.***)** **(***6—12 sts.***)** along right side of neck. 46 sts. on needle. **(***4—48 sts.***)** **(***6—52 sts.***).**
Work 5 rows (K1. P1) ribbing. Cast off **loosely** in ribbing.

(Continued on page 3)

Cardigan for Girls and Boys

With Cable Trim
and Textured Surface
Shown on page 1 (left)

MATERIALS:
A neat little cardigan trimmed with a different treatment of cables on an interesting but easy to knit background of purl and plain, is a most useful type of sweater for little girls and boys. The wool to use, for accuracy when knitting from these instructions, is Beehive Superior Double Knitting. You will require:—4 (2 oz.) balls. (*4 and 6—5 balls*). Two No. 10 and two No. 7 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with Beehive Superior Double Knitting. One spare needle with points at both ends. 7 Buttons.

MEASUREMENTS:	Size 2	Size 4	Size 6
Chest measurement	21 ins.	23 ins.	24 ins.
Chest measurement of finished garment	23 "	25 "	26 "
Length from top of shoulder	13½ "	14½ "	15½ "
Length of sleeve underarm seam	9 "	11 "	13 "

Tension: 10 sts. and 13 rows = 2 ins. with No. 7 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

TO MAKE "TWIST BACK": Slip next 3 sts. onto the spare needle, letting this needle fall to **back** of work. Knit next 3 sts. Bring the 3 sts. forward and knit them.

TO MAKE "TWIST FRONT": Slip next 3 sts. onto the spare needle, letting this needle fall to **front** of work. Knit next 3 sts. Take the 3 sts. back and knit them.

The instructions are written for size 2. Any changes necessary for sizes 4 and 6 are written in brackets thus:—( ).

BACK: With No. 10 needles cast on 59 sts. (*4—61 sts.*) (*6—65 sts.*).
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K1. Repeat from * to end of row.
Repeat these 2 rows of (K1. P1) ribbing for 2 ins. (*4 and 6—2½ ins.*) ending with 1st. row.
Next row: Rib (*all sizes*) but inc. 1.st. in centre of row for size 4 only.** 59 sts. on needle. (*4—62 sts.*) (*6—65 sts.*).

Change to No. 7 needles and proceed:—
1st row: Knit.
2nd row: Purl across row.
3rd row: P2. *K1. P2. Repeat from * to end of row.
4th row: K2. *P1. K2. Repeat from * to end of row.
These 4 rows complete one pattern for Back.

Continue even in pattern until work from beginning measures approx. 9 ins. (*4—9½ ins.*) (*6—10 ins.*) or desired length, ending with 4th pattern row.

To shape armholes: Keeping continuity of pattern, cast off 3 sts. beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 45 sts. on needle. (*4—48 sts.*) (*6—49 sts.*).
Continue even until armhole from first shaping measures 4½ ins. (*4—4¾ ins.*) (*6—5½ ins.*).
With right side of work facing, proceed:—

To shape shoulders: Keeping continuity of pattern, cast off 14 sts. (*4 and 6—15 sts.*) beginning next 2 rows. Cast off remaining sts.

LEFT FRONT: With No. 10 needles cast on 31 sts. (*4—33 sts.*) (*6—37 sts.*).
Work from ** to ** as given for Back. 31 sts. on needle. (*4—34 sts.*) (*6—37 sts.*).

Change to No. 7 needles and proceed:—
1st row: K9. P2. K12. P2. K6. (*4—K9*) (*6—K12*).
2nd row: P6. (*4—P9*) (*6—P12*). K2. P12. K2. P9.
3rd row: (P2. K1)3 times. P2. (Twist Back)twice. P2. (K1. P2.) twice. (*4—3 times*) (*6—4 times*).
4th row: (K2. P1)twice. (*4—3 times*) (*6—4 times*) K2. P12. K2. (P1. K2)3 times.
5th and 6th rows: As 1st. and 2nd rows.
7th row: (P2. K1)3 times. P2. K3. Twist Front. K3. P2. *K1. P2. Repeat from * to end of row. (front edge).
8th row: As 4th row, thus ending at side edge.
These 8 rows complete one pattern for Left Front.

Continue even in pattern until same length as Back to armholes, ending with 4th pattern row.

To shape armhole: Keeping continuity of pattern, cast off 3 sts. beginning next row for armhole, then dec. 1.st. at armhole edge every alternate row to 23 sts. on needle. (*4—26 sts.*) (*6—29 sts.*).
Continue even until armhole from first shaping measures 3 ins. (*4—3½ ins.*) (*6—3¾ ins.*) ending at front edge.

To shape neck: Cast off 6 sts. (*4—8 sts.*) (*6—11 sts.*) beginning next row for neck, then continue even in pattern on remaining 17 sts. (*4 and 6—18 sts.*) until armhole measures same as Back to shoulders. Cast off.

(Continued on page 7)

PULLOVER *(Continued from page 2)*

SLEEVES: With (A) wool and No. 10 needles cast on 29 sts. (*4—31 sts.*) (*6—33 sts.*).
Work 2 ins. (*4—2 ins.*) (*6—2½ ins.*) in (K1. P1) ribbing as given for Back ending with 1st. row.

For Plain Sleeve: Rib, increasing across row to 32 sts. on needle. (*4—34 sts.*) (*6—36 sts.*).
Change to No. 7 needles and continue in Stocking st. inc. 1.st. each end of needle on 7th row, (*all sizes*) then every following 6th row to 42 sts. on needle.
(*4—every following 8th row to 44 sts. on needle*)
(*6—every following 10th row to 46 sts. on needle*).
Continue even until sleeve from beginning measures 9 ins. (*4—11 ins.*) (*6—13 ins.*) or desired length, ending with purl row. Shape cap as given in right column.

For Coloured Pattern: Rib, increasing across row to 33 sts. on needle. (*4 and 6—37 sts.*). Change to No. 7 needles.
Join Main Colour and knit 1 row, purl 1 row.
Work the 10 rows as given in Chart to correspond to Back.
Next row: Inc. 1.st. in 1st. st. Knit to end of row. 34 sts. on needle. (*4 and 6—38 sts.*).
Beginning with purl row, continue in Stocking st. inc. 1.st. each end of needle every 4th row to 42 sts. on needle.
(*4—every 8th row to 44 sts. on needle*)
(*6—every 8th row to 46 sts. on needle*).
Continue even until sleeve from beginning measures 9 ins. (*4—11 ins.*) (*6—13 ins.*) or desired length, ending with purl row. Shape cap as given below.

To shape cap: Cast off 2 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next and every alternate row to 24 sts. on needle, then every row to 14 sts. on needle. Cast off remaining sts.

ARMBANDS: With right side of work facing and No. 10 needles, (and (A) wool, if desired) pick up and knit 48 sts. (*4—52 sts.*) (*6—56 sts.*) along armhole.
Work 5 rows (K1. P1) ribbing. Cast off loosely in ribbing.

TO MAKE UP: Block and Press each piece as given on page 29. Darn in ends. For Round Neck Pullover, sew side and sleeve seams. Sew right shoulder seam for ½ inch from armhole edge. Sew in sleeves. Along back of right shoulder, with right side of work facing, crochet 1 row d.c. Fasten off. Along front, crochet 1 row s.c. to form plaquet. Sew press fasteners to close plaquet. For "V" Neck Pullover, sew side, right shoulder and sleeve seams. Sew in sleeves.

Cardigan for Girls

Double Breasted
with Large Collar
Shown on page 5 (left)

MATERIALS:
Smart and trim, this little cardigan is double breasted and features a hint of the sailor look in the larger style collar. In order to knit with confidence and accuracy from these instructions, be sure to use Beehive Superior Double Knitting. You will require:—6 (2 oz) balls. *(10—6 balls)* *(12—7 balls)*. Two No. 10 and two No. 8 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with Beehive Superior Double Knitting. One spare needle with points at both ends. 6 Buttons.

MEASUREMENTS:	Size 8	Size 10	Size 12
Chest measurement	26 ins.	28 ins.	30 ins.
Chest measurement of finished garment	28 "	30 "	32 "
Length from top of shoulder	13½ "	14½ "	15½ "
Length of sleeve underarm seam	14 "	15 "	16 "

Tension: 10½ sts. and 14 rows = 2 ins. with No. 8 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 8. Any changes necessary for sizes 10 and 12 are written in brackets thus:—( ).

BACK: With No. 10 needles cast on 69 sts. *(10—75 sts.)* *(12—81 sts.)*.
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K1. Repeat from * to end of row.
Repeat these 2 rows of (K1. P1) ribbing for 16 rows in all.

Change to No. 8 needles and continue even in Stocking st. until work from beginning measures 8 ins. *(10—8½ ins.)* *(12—9 ins.)* or desired length, ending with purl row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished chest measurement, whilst retaining the desired length.

To shape armholes: Cast off 4 sts. *(10—5 sts.)* *(12—6 sts.)* beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 53 sts. on needle. *(10—55 sts.)* *(12—57 sts.)*.
Continue even until armhole from first shaping measures 5½ ins. *(10—6 ins.)* *(12—6½ ins.)* ending with purl row.

To shape shoulders: Cast off 9 sts. beginning next 2 rows, 8 sts. *(10—8 sts.)* *(12—9 sts.)* beginning following 2 rows. Cast off remaining sts.

LEFT FRONT: With No. 10 needles cast on 48 sts. *(10—50 sts.)* *(12—52 sts.)*.

1st row: K2. *P1. K1. Repeat from * to last 30 sts. P2. K4. (P2. K2)6 times.
2nd row: (P2. K2)6 times. P4. K2. *P1. K1. Repeat from * to end of row.
3rd row: K2. *P1. K1. Repeat from * to last 30 sts. P2. Slip next 2 sts. onto the spare needle, letting this needle fall to back of work. Knit next 2 sts. Bring the 2 sts. forward and knit them. P4. (K2. P2)5 times. (front edge).
4th row: (K2. P2)5 times. K4. P4. K2. *P1. K1. Repeat from * to end of row. (side edge).
These 4 rows make the block and cable pattern (30 sts.) at front edge of Left Front with remaining sts. in (K1. P1) ribbing.
Repeat these 4 rows for 16 rows in all.

Change to No. 8 needles and keeping block and cable pattern at front edge as before, but remaining sts. in Stocking st. continue even until same length as Back to armholes, ending at side edge.

To shape armhole: Keeping block and cable pattern at front edge, cast off 4 sts. *(10—5 sts.)* *(12—6 sts.)* beginning next row for armhole, then dec. 1.st. at armhole edge every alternate row to 39 sts. on needle. *(10—40 sts.)* *(12—41 sts.)*.
Continue even until armhole measures same as Back to shoulders ending at armhole edge.

To shape shoulder: Keeping block and cable pattern at front edge, at armhole edge, cast off 9 sts. every alternate row once, 8 sts. *(10—8 sts.)* *(12—9 sts.)* once, ending at front edge.
Work 1 row even on remaining 22 sts. *(10 and 12—23 sts.)* ending at shoulder edge. Leave these sts. on spare needle.

RIGHT FRONT: With No. 10 needles cast on 48 sts. *(10—50 sts.)* *(12—52 sts.)*.

1st row: (K2. P2)6 times. K4. P2. *K1. P1. Repeat from * to last 2 sts. K2.
2nd row: *K1. P1. Repeat from * to last 30 sts. K2. P4 (K2. P2)6 times.
3rd row: (P2. K2)5 times. P4. Slip next 2 sts. onto the spare needle, letting this needle fall to front of work. Knit next 2 sts. Take the 2 sts. back and knit them. P2. *K1. P1. Repeat from * to last 2 sts. K2. (side edge).
4th row: *K1. P1. Repeat from * to last 30 sts. K2. P4. K4. (P2. K2)5 times. (front edge).
These 4 rows make the block and cable pattern (30 sts.) at front edge of Right Front with remaining sts. in ribbing.
Repeat these 4 rows once.

9th row: (buttonholes). K2. P1. Cast off 1 st. for 1st. buttonhole. Note that the st. on right hand needle after casting off, counts as 1.st. to keep continuity of block pattern. (K2. P2)3 times. K2. P1. Cast off 1.st. for 2nd buttonhole. K2. P2. K4. P2. *K1. P1. Repeat from * to last 2 sts. K2.
10th row: *K1. P1. Repeat from * to last 28 sts. K2. P4. K2. P2. Cast on 1.st. K1. P2. (K2. P2)3 times. Cast on 1.st. K1. P2.
Repeat 3rd and 4th rows then 1st. to 4th rows inclusive. (16 rows in all).

Change to No. 8 needles and keeping block and cable pattern at front edge as before, but remaining sts. in Stocking st. work 14 rows *(10—16 rows)* *(12—18 rows)* even.

Working buttonholes on next 2 rows *(all sizes)* and following 21st and 22nd rows *(10—23rd and 24th rows)* *(12—25th and 26th rows)*, continue to correspond to Left Front being careful to have all shapings for opposite side, noting that there will be 1 more row in armhole depth and end at front edge. There should be same number of rows at front edge of both Right and Left Fronts. Proceed:—

COLLAR: Work in pattern across the 22 sts. *(10 and 12—23 sts.)* of Right Front. Cast on 18 sts. *(10—20 sts.)* *(12—24 sts.)* for back of neck. Work in pattern across the 22 sts. *(10 and 12—23 sts.)* of Left Front, ending at front edge.
Work 5 ins. *(10—5 ins.)* *(12—5½ ins.)* even in block pattern, or desired length, ending with 1st. row of a block. Cast off in pattern.

SLEEVES: With No. 10 needles cast on 33 sts. *(10 and 12—35 sts.)*.
Work 20 rows (K1. P1) ribbing as given for Back ending with 2nd row.
Next row: K3. *Inc. 1.st. in next st. K4. Repeat from * to end of row. 39 sts. on needle.
*(10—K4. *Inc. 1.st. in next st. K4. Repeat from * to last st. K1. 41 sts. on needle)*
*(12—K2. *Inc. 1.st. in next st. K3. Repeat from * to last st. K1. 43 sts. on needle)*.

Change to No. 8 needles and beginning with purl row, continue in Stocking st. inc. 1.st. each end of needle every 8th row to 53 sts. on needle. *(10—57 sts.)* *(12—61 sts.)*.
Continue even until sleeve from beginning measures 14 ins. *(10—15 ins.)* *(12—16 ins.)* or desired length, ending with purl row.

To shape cap: Cast off 2 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next and every alternate row to 29 sts. on needle *(10—33 sts.)* *(12—37 sts.)* then every row to 15 sts. on needle. Cast off remaining sts.

TO MAKE UP: Block and Press each piece as given on page 29. Sew side, shoulder, back of neck and sleeve seams. Sew in sleeves. Sew buttons to correspond to buttonholes.

Youthful Charmers

CARDIGAN (left) see page 4

CARDIGAN (right) see page 6

Cardigan for Boys and Girls

With Knit-in Raglan Sleeves
and Two Styles of Collar
Shown on Cover (left) and page 5 (right)

MATERIALS:
Designed especially for knitting with Beehive Superior Double Knitting, this cardigan can be made with two styles of collars and with or without the coloured borders. You will require:—5 (2 oz.) balls. *(10 and 12—6 balls)*. Approx. 1 oz. of each of two Contrasting Colours for border pattern. Two No. 10 and two No. 8 Queen Bee Knitting Needles. One No. 8 Circular Knitting Needle or whichever needle size you require to produce the tension given below with Beehive Superior Double Knitting. One 14-inch *(10 and 12—16-inch)* separating "Zipper" Fastener. For men, you will find this cardigan in one colour in Beehive Book No. 69.

MEASUREMENTS:	Size 8	Size 10	Size 12
Chest measurement	26 ins.	28 ins.	30 ins.
Chest measurement of finished garment	28 "	30 "	32 "
Length at centre back (excluding neckband or collar)	16 "	17 "	18 "
Length of sleeve underarm seam	13½ "	14½ "	15½ "

Tension: 10½ sts. and 14 rows = 2 ins. with No. 8 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 8. Any changes necessary for sizes 10 and 12 are written in brackets thus:—( ).

Beginning at neck edge, with two No. 8 needles cast on 41 sts.
1st row: Purl each st. in row. Cast on 3 sts.

2nd row: K4. Inc. 1.st. in each of next 2 sts. K4. Inc. 1.st. in each of next 2 sts. K22. Inc. 1.st. in each of next 2 sts. K4. Inc. 1.st. in each of next 2 sts. K2. Cast on 3 sts.

3rd row: Purl to end of row. Cast on 3 sts.

4th row: K8. Inc. 1.st. in each of next 2 sts. K6. Inc. 1.st. in each of next 2 sts. K24. Inc. 1.st. in each of next 2 sts. K6. Inc. 1.st. in each of next 2 sts. K6. Cast on 3 sts.

5th row: Purl to end of row. Cast on 3 sts.

6th row: K12. Inc. 1.st. in each of next 2 sts. K8. Inc. 1.st. in each of next 2 sts. K26. Inc. 1.st. in each of next 2 sts. K8. Inc. 1.st. in each of next 2 sts. K10. Cast on 3 sts. (83 sts. on needle).

7th row: K3. Purl to last 3 sts. K3. Proceed:—

1st row: K13. Inc. 1.st. in each of next 2 sts. K10. Inc. 1.st. in each of next 2 sts. K28. Inc. 1.st. in each of next 2 sts. K10. Inc. 1.st. in each of next 2 sts. K14. (91 sts. on needle).

2nd and alternate rows: K3. Purl to last 3 sts. K3.

3rd row: K14. Inc. 1.st. in each of next 2 sts. K12. Inc. 1.st. in each of next 2 sts. K30. Inc. 1.st. in each of next 2 sts. K12. Inc. 1.st. in each of next 2 sts. K15. (99 sts. on needle).

5th row: K15. Inc. 1.st. in each of next 2 sts. K14. Inc. 1.st. in each of next 2 sts. K32. Inc. 1.st. in each of next 2 sts. K14. Inc. 1.st. in each of next 2 sts. K16. (107 sts. on needle).

7th row: K16 for Left Front. The next st. is the 1st. increased st. of previous knit row. Inc. 1.st. in this st. The next st. has made a straight line from the cast-on edge. This is the 1st. seam st. in row. Inc. 1.st. in this seam st. K16 for Left Sleeve. Inc. 1.st. in next st. which is the st. before the 2nd seam st. Inc. 1.st. in the seam st. K34 for Back. Inc. 1.st. in next st. which is the st. before the 3rd seam st. Inc. 1.st. in the seam st. K16 for Right Sleeve. Inc. 1.st. in next st. which is the st. before the 4th seam st. Inc. 1.st. in the seam st. K17 for Right Front. (115 sts. on needle and 8 more sts. have been increased).

Being sure to K3 at beginning and end of every purl row, continue in Stocking st. inc. 8 sts. across every knit row in this manner, noting that there is 1 more st. to count for each front and 2 more sts. to count for the sleeves and back, every increase row. Change to circular needle as sts. are increased until there are 21 increase rows *(10—23 increase rows)* *(12—25 increase rows)* in all and end with purl row.

Next row: K32. Inc. 1.st. in next st. K46. Inc. 1.st. in next st. K66. Inc. 1.st. in next st. K46. Inc. 1.st. in next st. K33. 231 sts. on needle.
(10—K33. Inc. 1.st. in each of next 2 sts. K50. Inc. 1.st. in next st. K70. Inc. 1.st. in next st. K50. Inc. 1.st. in each of next 2 sts. K34. 249 sts. on needle)
(12—K35. Inc. 1.st. in each of next 2 sts. K54. Inc. 1.st. in each of next 2 sts. K72. Inc. 1.st. in each of next 2 sts. K54. Inc. 1.st. in each of next 2 sts. K36. 267 sts. on needle).

Next row: K3. Purl to last 3 sts. K3. Proceed:—
Do not break wool. With right side of work facing, slip first 33 sts. *(10—36 sts.)* *(12—38 sts.)* onto a thread for Left Front. Slip next 49 sts. *(10—53 sts.)* *(12—57 sts.)* for one sleeve onto a spare needle with points at both ends. Slip next 67 sts. *(10—71 sts.)* *(12—77 sts.)* for Back onto thread with sts. of Left Front. Slip next 49 sts. *(10—53 sts.)* *(12—57 sts.)* for other sleeve onto a separate thread. Slip remaining 33 sts. *(10—36 sts.)* *(12—38 sts.)* for Right Front onto thread with sts. of Back and Left Front. It will be noticed that the 4 seam sts. are included in the sts. for fronts and back.

To make sleeves: With right side of work facing, join another ball of wool to the 49 sts. *(10—53 sts.)* *(12—57 sts.)* on spare needle.
With two No. 8 needles and working in Stocking st. cast on 2 sts. beginning first 2 rows. 53 sts. on needle. *(10—57 sts.)* *(12—61 sts.)*.
Work 14 rows *(10—12 rows)* *(12—10 rows)* even ending with purl row for both styles.

For Plain Sleeve: Dec. 1.st. each end of needle on next and every following 8th row to 39 sts. on needle. *(10—41 sts.)* *(12—43 sts.)*.
Continue even until sleeve from cast-on sts. at underarm measures 11½ ins. *(10—12 ins.)* *(12—13 ins.)* ending with purl row. Make ribbed cuff as given below.

For Border Pattern Sleeve: Dec. 1.st. each end of needle on next and every following 8th row to 41 sts. on needle. *(10—43 sts.)* *(12—45 sts.)*.
Work 4 rows even ending with **knit** row. Break wool. Join Contrasting Colour (A). Proceed:—
1st row: Purl.
2nd row: K2tog. Knit to last 2 sts. K2tog. Break (A). 39 sts. on needle. *(10—41 sts.)* *(12—43 sts.)*.
Join Contrasting Colour (B) and purl 1 row. Join (A).
Carrying the (A) and (B) wools loosely at back (purl side) of work, see Stranded Method on page 24, and being careful to read **knit** rows from **right** to left and **purl** rows from **left** to right, work the 9 rows as given in Chart for Sleeves. Break (A).
With (B), purl 1 row. Break (B). Join (A).
With (A), knit 1 row. Purl 1 row. Break (A). Join Main Colour. Make ribbed cuff as given below.

CHART FOR SLEEVES



▣ CONTRASTING COLOUR (A) ☐ CONTRASTING COLOUR (B)

To make ribbed cuff: Change to No. 10 needles and knit 1 row, decreasing across row to 34 sts. on needle. *(10 and 12—36 sts.)*.
Work 2 ins. *(10 and 12—2½ ins.)* in (K1. P1) ribbing. Cast off **loosely** in ribbing. Darn in ends and sew sleeve seam.
Slip the 49 sts. *(10—53 sts.)* *(12—57 sts.)* left for other sleeve onto needle and work to correspond.

(Continued on page 7)

first inc first Row part

RAGLAN CARDIGAN *(Continued from page 6)*

To make body: Slip remaining sts. onto circular needle. Using wool attached to Left Front, with right side of work facing, knit the sts. of Left Front. Pick up and knit 4 sts. at underarm. Knit the sts. of Back. Pick up and knit 4 sts. at other underarm. Knit the sts. of Right Front. 141 sts. on needle. *(10—151 sts.) (12—161 sts.).*

For Plain Body: Beginning with purl row and being sure to K3 at beginning and end of every purl row, continue even until work from underarm measures 8 ins. *(10—8 ins.) (12—8½ ins.)* ending with purl row. Make ribbed band as given below.

For Border Pattern Body: Beginning with purl row and being sure to K3 at beginning and end of every purl row, continue even until work from underarm measures 6 ins. *(10—6 ins.) (12—6½ ins.)* ending with **knit** row. Proceed:—
1st row: K3. Join (A) and purl to last 3 sts. Join about 2 yds. Main Colour and knit last 3 sts. The 1st. and last 3 sts. are kept in plain knitting **every** row as before, with Main Colour.
2nd row: K3. Always pass next colour underneath and around colour just used to prevent a hole and with (A), knit to last 3 sts. K3. Break (A).
3rd row: K3. Join (B) and purl to last 3 sts. K3.
Work the 9 rows as given in Chart for Body, working Pattern (A) once, Pattern (B) 13 times. *(10—14 times) (12—15 times)* across row, then Pattern (C). Break (A) and work 3rd, 2nd and 1st. stripe rows. Break all wools except Main Colour at Left Front edge which is the short length. Make ribbed band as given below.

CHART FOR BODY


Read purl rows from this side
Pattern (C)
Pattern (B)
Pattern (A)
Read knit rows from this side
Last 6 sts. on knit rows
1st. 6 sts. on purl rows
10 sts.
CONTRASTING COLOUR (A)
CONTRASTING COLOUR (B)
MAIN COLOUR (KNIT EVERY ROW)
1st. 5 sts. on knit rows
Last 5 sts. on purl rows

To make ribbed band: Change to No. 10 needles and knit 1 row.
Next row: K4. *P1. K1. Repeat from * to last 3 sts. K3.
Next row: K3. *P1. K1. Repeat from * to last 4 sts. P1. K3.
Repeat these 2 rows for 2 ins. *(10 and 12—2½ ins.)* in all. Cast off **loosely** in ribbing. Darn in ends and press carefully.

NECKBAND FOR BOY'S CARDIGAN: With No. 10 needles cast on 63 sts. *(10 and 12—67 sts.).*
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K1. Repeat from * to end of row.
Repeat these 2 rows of (K1. P1) ribbing for 6 rows in all.
Keeping continuity of ribbing, cast off 2 sts. beginning **every** row to 31 sts. on needle. Cast off remaining sts. Sew cast-off edge to neck. Turn under and hem the cast-on edge along this seam on wrong side. Sew in "Zipper" fastener.

COLLAR FOR GIRL'S CARDIGAN: With No. 10 needles cast on 79 sts. *(10—83 sts.) (12—87 sts.)* and work 2½ ins. *(10 and 12—3 ins.)* in (K1. P1) ribbing as given for Neckband for Boy's Cardigan ending with 1st. row.
Next row: K1. P1. K1. *P2tog. P1. K1. Repeat from * to end of row. Cast off.
Sew cast-off edge of collar around neck. Sew in "Zipper" fastener.

CARDIGAN *(Continued from page 3)*

RIGHT FRONT: With No. 10 needles cast on 31 sts. *(4—33 sts.) (6—37 sts.).*
Work from ** to ** as given for Back. 31 sts. on needle. *(4—34 sts.) (6—37 sts.).*

Change to No. 7 needles and proceed:—
1st row: K6. *(4—K9) (6—K12).* P2. K12. P2. K9.
2nd row: P9. K2. P12. K2. P6. *(4—P9) (6—P12).*
3rd row: (P2. K1)twice. *(4—3 times) (6—4 times).* P2. (Twist Front)twice. P2. (K1. P2)3 times.
4th row: (K2. P1)3 times. K2. P12. K2. (P1. K2)twice. *(4—3 times) (6—4 times).*
5th and 6th rows: As 1st. and 2nd rows.
7th row: (P2. K1)twice. *(4—3 times) (6—4 times).* P2. K3. Twist Back. K3. P2. *K1. P2. Repeat from * to end of row. (side edge).
8th row: As 4th row, thus ending at front edge.
These 8 rows complete one pattern for Right Front.
Continue in pattern to correspond to Left Front, being careful to have all shapings for opposite side.

SLEEVES: With No. 10 needles cast on 29 sts. *(4—31 sts.) (6—33 sts.).*
Work 2 ins. *(4 and 6—2½ ins.)* in (K1. P1) ribbing as given for Back, ending with 2nd row.
Next row: K5. *(4—K3) (6—K1).* *Inc. 1.st. in next st. K3. Repeat from * to end of row. 35 sts. on needle. *(4—38 sts.) (6—41 sts.).*

Change to No. 7 needles and work 2nd to 8th rows inclusive of pattern as given for Back.
Keeping continuity of pattern and working increased sts. in pattern, inc. 1.st. each end of needle on next and every following 8th row *(4—10th row) (6—12th row)* to 45 sts. on needle. *(4—48 sts.) (6—51 sts.).*
Continue even until sleeve from beginning measures approx. 9 ins. *(4—11 ins.) (6—13 ins.)* or desired length, ending with 4th pattern row.

To shape cap: Keeping continuity of pattern, cast off 2 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next and every alternate row to 25 sts. on needle *(4—26 sts.) (6—27 sts.)* then **every** row to 15 sts. on needle. *(4—16 sts.) (6—17 sts.).* Cast off remaining sts.

BUTTONHOLE BAND: With No. 10 needles cast on 7 sts. and work 8 rows (K1. P1) ribbing as given for Back.
****9th row:** Rib 3. Cast off 1.st. Rib 3.
10th row: Rib 3. Cast on 1.st. Rib 3.
Rib 12 rows. *(4—13 rows) (6—14 rows).***
Repeat from ** to ** until 2 rows have been worked after 7th buttonhole. Cast off in ribbing.

BUTTON BAND: Omitting buttonholes, work as given for Buttonhole Band.

COLLAR: With No. 7 needles cast on 12 sts. *(4—13 sts.) (6—14 sts.).*
Work 10 ins. *(4—10 ins.) (6—11 ins.)* Garter st. (plain knitting every row). Cast off.

TO MAKE UP: Block and Press each piece as given on page 29. Sew side, shoulder and sleeve seams. Sew in sleeves. Placing buttonhole band on Left Front for Boy's Cardigan and on Right Front for Girl's Cardigan, sew evenly in position. Sew button band in position on other front. Sew collar around neck, placing ends 2 sts. in from each front edge. Sew buttons to correspond to buttonholes.

JOINING WOOL

When you have to join a new ball of wool, or replace a knot, the simplest way is to join at the beginning of a row, even if you have to pull back a partly knitted row. It is preferable, if possible, to join at a seam edge so that the ends can be neatly darned into a seam when the garment is sewn up.

If you are working in rounds, or in straight work, and there is a knot in the wool you are using, cut out the knot. Unwind the plies of each of the two ends of wool, for about 2 ins. and splice as follows:—

In 2 ply, break off one of the threads from each length of wool; in 3 ply two from one end and one from the other; in 4 ply two from each end. Place the remaining ends together, thus forming the 2, 3 or 4 ply thickness again; twist them together with the fingers and knit in the usual way with the twisted wool thus formed.

Owing to the numerous processes through which wool has to pass, it is impossible to avoid occasional knots, so—**Remember** for a neat finish and comfort to the wearer, **never** knit a knot into your garment!—Either pull back to the seam, or splice.

'Originals' in Sweaters for Boys and Girls

Basic Knitting Instructions
In Sizes 2 to 12
Sizes 14 to 42 are on page 12
Shown on pages 10 and 11

MATERIALS:
These instructions have been prepared to give you three different styles of collar and buttoned or "Zippered" fronts for each of the six sizes. Coloured patterns may be used as shown on pages 10 and 11 and a further selection of coloured pattern charts are shown on pages 14 and 15. For accurate knitting, Beehive Superior Double Knitting is the wool to use and you will require:—5 (2 oz.) balls. (*4—5 balls*) (*6 and 8—6 balls*) (*10—7 balls*) (*12—8 balls*). If knitting in the coloured patterns, you will need just oddments of desired colours. Two No. 10 and two No. 8 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with Beehive Superior Double Knitting. One 12-inch (*4, 6 and 8—14-inch*) (*10 and 12—16-inch*) separating "Zipper" Fastener for "Zippered" style. 7 Buttons for Buttoned Style.

MEASUREMENTS:	Size 2	Size 4	Size 6	Size 8	Size 10	Size 12
Chest measurement	21 ins.	23 ins.	24 ins.	26 ins.	28 ins.	30 ins.
Chest measurement of finished garment	24 "	26 "	27 "	29 "	31 "	33 "
Length from top of shoulder	14 "	15 "	16 "	17 "	18 "	19 "
Length of sleeve underarm seam	9 "	11 "	13 "	14 "	15 "	16 "

Tension: 10½ sts. and 14 rows = 2 ins. with No. 8 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 2. Any changes necessary for sizes 4, 6, 8, 10 and 12 are written in brackets thus:—( ).

How to knit in the coloured patterns and details of those shown on pages 10 and 11, will be found on page 9.

BACK: With No. 10 needles cast on 61 sts. (*4—65 sts.*) (*6—69 sts.*) (*8—73 sts.*) (*10—77 sts.*) (*12—83 sts.*).
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K1. Repeat from * to end of row.
Repeat these 2 rows of (K1. P1) ribbing for 2 ins. (*4—2 ins.*) (*6 and 8—2½ ins.*) (*10 and 12—3 ins.*) ending with 2nd row.

Change to No. 8 needles and continue even in Stocking st. until work from beginning measures 9½ ins. (*4—10 ins.*) (*6—10½ ins.*) (*8—11 ins.*) (*10—11½ ins.*) (*12—12 ins.*) or desired length, ending with purl row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished chest measurement, whilst retaining the desired length.

To shape armholes: Cast off 3 sts. (*4 and 6—3 sts.*) (*8 and 10—4 sts.*) (*12—5 sts.*) beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 47 sts. on needle. (*4—49 sts.*) (*6—53 sts.*) (*8—55 sts.*) (*10—57 sts.*) (*12—59 sts.*). Continue even until armhole from first shaping measures 4½ ins. (*4—5 ins.*) (*6—5½ ins.*) (*8—6 ins.*) (*10—6½ ins.*) (*12—7 ins.*) ending with purl row.

To shape shoulders: Cast off 7 sts. beginning next 2 rows, 8 sts. beginning following 2 rows.
(*4—Cast off 8 sts. beginning next 4 rows*)
(*6—Cast off 8 sts. beginning next 2 rows, 9 sts. beginning following 2 rows*)
(*8 and 10—Cast off 9 sts. beginning next 4 rows*)
(*12—Cast off 9 sts. beginning next 2 rows, 10 sts. beginning following 2 rows*).
Cast off remaining sts.

FRONTS WITH "ZIPPER" FASTENER

LEFT FRONT: **To make pocket piece:** With No. 8 needles cast on 17 sts. (*4 and 6—17 sts.*) (*8, 10 and 12—19 sts.*) and work in Stocking st. for 2 ins. (*4—2 ins.*) (*6 and 8—2½ ins.*) (*10 and 12—3 ins.*) ending with **knit** row. Break wool. Leave these sts. on spare needle.

With No. 10 needles cast on 30 sts. (*4 and 6—34 sts.*) (*8—36 sts.*) (*10—40 sts.*) (*12—42 sts.*).
1st row: K2. *P1. K1. Repeat from * to last 4 sts. P1. K3. (The last 3 sts. form Garter st. border at front edge).
2nd row: K4. *P1. K1. Repeat from * to end of row. (side edge).
Repeat these 2 rows for 2 ins. (*4—2 ins.*) (*6 and 8—2½ ins.*) (*10 and 12—3 ins.*) ending with 2nd row.

Change to No. 8 needles and keeping Garter st. border at front edge, as before, continue in Stocking st. until work from beginning measures 3½ ins. (*4—3½ ins.*) (*6 and 8—4½ ins.*) (*10 and 12—5½ ins.*) ending at front edge.

To make pocket edge: 1st row: Knit the border sts. P5. (*4, 6 and 8—P7*) (*10—P9*) (*12—P10*). K17. (*4 and 6—K17*) (*8, 10 and 12—K19*) for pocket edge. Purl to end of row.
2nd row: Knit.
Repeat 1st. and 2nd rows once, then 1st. row once.
6th row: K5. (*4, 6 and 8—K7*) (*10—K9*) (*12—K10*). Cast off 17 sts. (*4 and 6—17 sts.*) (*8, 10 and 12—19 sts.*). Knit to end of row. (front edge).
7th row: Knit the border sts. Purl to cast-off sts. With wrong side of pocket piece facing, purl across sts. on spare needle. Purl to end of row. (side edge).
Keeping Garter st. border at front edge, continue in Stocking st. until same length as Back to armholes, ending at side edge.

To shape armhole: Keeping Garter st. border at front edge, cast off 3 sts. (*4 and 6—3 sts.*) (*8 and 10—4 sts.*) (*12—5 sts.*) beginning next row for armhole, then dec. 1.st. at armhole edge every alternate row to 23 sts. on needle. (*4—25 sts.*) (*6—26 sts.*) (*8—27 sts.*) (*10—29 sts.*) (*12—30 sts.*).
Note: For Front with Buttonholes, decrease to 26 sts. (*4—28 sts.*) (*6—29 sts.*) (*8—30 sts.*) (*10—32 sts.*) (*12—33 sts.*), that is to allow for the 3 sts. extra in Garter st. border.
Continue even until armhole from first shaping measures 3½ ins. (*4 and 6—4 ins.*) (*8 and 10—4½ ins.*) (*12—5 ins.*) ending at front edge.

To shape neck: Cast off 6 sts. (For Front with Buttonholes, cast off 9 sts.) beginning next row for neck, then dec. 1. st. at neck edge every row to 15 sts. on needle. (*4—16 sts.*) (*6—17 sts.*) (*8 and 10—18 sts.*) (*12—19 sts.*).
Continue even until armhole measures same as Back to shoulders.

To shape shoulder: At armhole edge, cast off 7 sts. (*4 and 6—8 sts.*) (*8, 10 and 12—9 sts.*) beginning next row for shoulder. Work 1 row even. Cast off remaining sts.

RIGHT FRONT: Make pocket piece as given for Left Front.
With No. 10 needles cast on 30 sts. (*4 and 6—34 sts.*) (*8—36 sts.*) (*10—40 sts.*) (*12—42 sts.*).
1st row: K3. *P1. K1. Repeat from * to last st. K1. (side edge).
2nd row: *K1. P1. Repeat from * to last 4 sts. K4. (The last 3 sts. form Garter st. border at front edge).
Repeat these 2 rows for 2 ins. (*4—2 ins.*) (*6 and 8—2½ ins.*) (*10 and 12—3 ins.*) ending with 2nd row.

Change to No. 8 needles and keeping Garter st. border at front edge, as before, continue in Stocking st. until work from beginning measures 3½ ins. (*4—3½ ins.*) (*6 and 8—4½ ins.*) (*10 and 12—5½ ins.*) ending at side edge.

To make pocket edge: 1st row: P5. (*4, 6 and 8—P7*) (*10—P9*) (*12—P10*). K17. (*4 and 6—K17*) (*8, 10 and 12—K19*) for pocket edge. Purl to border sts. then knit them.

(Continued on page 9)

2nd row: Knit.
Repeat 1st. and 2nd rows once, then 1st. row once.
6th row: Knit the border sts. then K5. *(4, 6 and 8—K7) (10—K9) (12—K10).* Cast off 17 sts. *(4 and 6—17 sts.) (8, 10 and 12—19 sts.).* Knit to end of row. (side edge).
7th row: Purl to cast-off sts. With wrong side of pocket piece facing, purl across sts. on spare needle. Purl to border sts. then knit them. (front edge).
Keeping Garter st. border at front edge, continue in Stocking st. until same length as Back to armholes, ending at side edge.
Shape armhole beginning next row and continue exactly as given for Left Front.

FRONTS WITH BUTTONHOLES

Work from instructions for Fronts with "Zipper" Fastener, casting on 3 sts. more for overlap for each size. Keep these extra 3 sts. in Garter st. at front edge, making a border of 6 sts. instead of 3 sts.

Boy's Sweater—Work Right Front (without buttonholes) first, then, with pins on it mark positions for 7 buttons. Mark position of 1st. button on the 5th row from beginning and position of 2nd button on next to last row of ribbing. Mark 5 more button positions approx. 2 ins. *(4 and 6—2½ ins.) (8 and 10—2¾ ins.) (12—2¾ ins.)* apart, having the 7th one ¼ inch down from neck edge. The buttonholes are worked on the Left Front to correspond to button positions as follows:—Beginning from side edge, work to last 6 sts. K2. (Wl.fwd. K2tog. for buttonhole). K2.

Girl's Sweater—Work Left Front (without buttonholes) first, then, with pins on it mark positions for 7 buttons as given for Boy's Sweater. The buttonholes are worked on the Right Front to correspond to button positions as follows:—Beginning at front edge, K2. (K2tog. Wl.fwd. for buttonhole). K2. Work to end of row.

SLEEVES: With No. 10 needles cast on 31 sts. *(4—33 sts.) (6 and 8—35 sts.) (10 and 12—37 sts.).*
Work 2 ins. *(4—2 ins.) (6 and 8—2½ ins.) (10 and 12—3 ins.)* in (K1. P1) ribbing as given for Back, ending with 1st. row.
Next row: Rib, increasing across row to 37 sts. on needle. *(4—39 sts.) (6 and 8—41 sts.) (10 and 12—43 sts.).*

Change to No. 8 needles and continue in Stocking st. inc. 1.st. each end of needle on 7th row *(all sizes)* and every following 6th row to 47 sts. on needle.
(4—every following 10th row to 49 sts. on needle)
(6—every following 12th row to 51 sts. on needle)
(8—every following 8th row to 55 sts. on needle)
(10—every following 8th row to 59 sts. on needle)
(12—every following 6th row to 63 sts. on needle).
Continue even until sleeve from beginning measures 9 ins. *(4—11 ins.) (6—13 ins.) (8—14 ins.) (10—15 ins.) (12—16 ins.)* or desired length, ending with purl row.

To shape cap: Cast off 2 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next and every alternate row to 25 sts. on needle *(4 and 6—25 sts.) (8—29 sts.) (10—33 sts.) (12—37 sts.)* then every row to 15 sts. on needle. Cast off remaining sts.

SHAWL COLLAR: (As shown on page 10, centre and right and on page 11, left). With No. 8 needles cast on 6 sts.
1st row: K1. Inc. 1.st. in next st. K2. Inc. 1.st. in next st. K1.
2nd row: Knit.
3rd row: K1. Inc. 1.st. in next st. Knit to last 2 sts. Inc. 1.st. in next st. K1.
4th row: Knit. Repeat 3rd and 4th rows to 12 sts. on needle *(4, 6 and 8—12 sts.) (10 and 12—14 sts.).*
Next row: (outside edge). K1. Inc. 1.st. in next st. Knit to end of row.
Next row: Knit. Repeat last 2 rows to 16 sts. on needle. *(4—16 sts.) (6 and 8—18 sts.) (10 and 12—20 sts.).*
Knit even in Garter st. (plain knitting every row) until work from beginning measures 9½ ins. *(4—9½ ins.) (6 and 8—10 ins.) (10 and 12—11 ins.)* ending at outside edge. Proceed:—
1st row: K1. K2tog. Knit to end of row. (neck edge).
2nd row: Knit. Repeat these 2 rows to 12 sts. on needle. *(4, 6 and 8—12 sts.) (10 and 12—14 sts.).*
Next row: K1. K2tog. Knit to last 3 sts. K2tog. K1.
Next row: Knit. Repeat last 2 rows to 6 sts. on needle. Cast off.

PLAIN COLLAR: (As shown on page 10, left and on page 11, centre). With No. 8 needles cast on 14 sts. *(4—14 sts.) (6 and 8—16 sts.) (10 and 12—18 sts.).*

(Continued in right column)

HOW TO KNIT IN COLOURED PATTERNS

as shown in photographs on pages 10 and 11 and in charts on pages 14 and 15.

Each square on desired chart represents 1.st. across from side to side and 1 row up and down. The 1st. and alternate rows of squares are knit rows and are always worked from right hand side of chart. The 2nd and alternate rows are purl rows and are always worked from left hand side of chart. If you wish to reverse direction of design, work knit rows from left hand side and purl rows from right hand side. Each symbol represents a design colour. The blank squares represent sweater colour.

The lower right hand square of each chart is 1st. st. of design and lower left hand square is last st. of design. Place a marker such as a small safety pin on your knitting where you wish to have 1st. st. and similarly where you wish to have last st. This means that all sts. from one marker to other are worked from chart. The number of sts. and rows are given with each chart to assist you in determining size of each design with regards to work you have on needles in Stocking st. Do not count sts. of Garter st. borders.

Use a separate ball or strand of wool for each section of colour and when passing from one colour to next, pass colour to be used underneath and around to right of colour just used, in order to prevent a hole. If there are small areas of 2 or 3 sts. for a short length of 3 or 4 rows, carry colour not in use loosely across back of work to position of its next use.

Wrong side of Coloured Pattern Method



The Butterflies (shown on page 10, left). Start on 3rd row (knit row) above ribbed band, placing markers of these 24 sts. in centre of Stocking st. portion of a front.

The Jets (shown on page 10, centre). For Right Front, start on knit row, ½ inch above pocket, placing 1st. marker of these 19 sts. on 1st. st. inside border. For Left Front, start on knit row in line with last Jet on Right Front, placing markers to correspond. For Back, start on 3rd row (knit row) above ribbed band, placing markers of the 37 sts. of Hangar and Windsock in centre of work.

The Crest with Initials (shown on page 10, right). On chart, mark desired initials in areas provided. Use separate strand of colour for each initial and carry other colour behind them. For Left Front, start on knit row, 13 ins. from cast-on edge, placing last marker of these 27 sts. on 5th st. inside border

The Poodle and Bow-Knot (shown on page 11, left). For Left Front, start on knit row, 11 ins. from cast-on edge, placing last marker of these 26 sts. of Poodle on 2nd st. inside border. For Right Front, start on knit row 15 ins. from cast-on edge, placing 1st. marker of these 22 sts. of Bow Knot on 2nd st. inside border. The Lead is a chain crocheted with double wool with a loop at one end to button as illustrated.

The Dutch Boy and Girl (shown on page 11, centre). For Left Front, start on knit row, ½ inch above pocket, placing last marker of these 19 sts. of Dutch Girl on 3rd st. inside border. Place markers of Dutch Boy on Right Front to correspond.

The Skiers (shown on page 11, right). For Left Front, start on knit row, 10 ins. from cast-on edge, placing last marker of these 34 sts. on 2nd st. inside border. For Right Front, place markers to correspond and reverse direction of design as given above.

Work 10 ins. *(4—10 ins.) (6 and 8—11 ins.) (10 and 12—12 ins.)* Garter st. (plain knitting every row). Cast off.

RIBBED COLLAR: (Suitable only for "Zippered" Styles as shown on page 11, right). With No. 10 needles cast on 59 sts. *(4—59 sts.) (6 and 8—63 sts.) (10 and 12—67 sts.).*
Work 6 rows (K1. P1) ribbing as given for Back.
Keeping continuity of ribbing, cast off 2 sts. beginning every row to 31 sts. on needle. Cast off remaining sts.

TO MAKE UP: Make up as given for sizes 14 to 42, on page 13.

Basic Knitting Instructions in 12 Sizes

'Originals' in Sweaters

Sizes 2 to 12, see page 8

for All the Family

Sizes 14 to 42, see page 12

The sweaters on these two pages show you some of the ways the Charts on pages 14 and 15 may be used to enable you to create your own striking sweaters which can be just a bit "different."

'Originals' in Sweaters for Men, Women and Teens

Basic Knitting Instructions
In Sizes 14 to 42
(Sizes 2 to 12 are on page 8)
Shown on pages 10 and 11

MATERIALS:
Three different styles of collar and instructions for buttoned or "Zippered" fronts are given here for each of the six sizes. Coloured patterns may be used as shown on pages 10 and 11 and additional coloured pattern charts are given on pages 14 and 15. In order to be satisfied with your knitting, be sure to use Beehive Superior Double Knitting. You will need:—9 (2 oz.) balls. *(16 and 18—10 balls) (38 and 40—11 balls) (42—12 balls).* If knitting in the coloured patterns, you will need just oddments of desired colours. Two No. 10 and two No. 8 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with Beehive Superior Double Knitting. One 20-inch *(16 and 18—20-inch) (38, 40 and 42—22-inch)* separating "Zipper" Fastener for "Zippered" style. 8 Buttons for Buttoned style.

MEASUREMENTS:	Size 14	Size 16	Size 18	Size 38	Size 40	Size 42
Bust or chest measurement	32 ins.	34 ins.	36 ins.	38 ins.	40 ins.	42 ins.
Bust or chest measurement of finished garment	35 "	37 "	39 "	41 "	43 "	45 "
Length from top of shoulder	21½ "	21½ "	22 "	24 "	24½ "	24½ "
Length of sleeve underarm seam	17 "	17 "	17 "	18 "	18 "	18 "

Tension: 10½ sts. and 14 rows = 2 ins. with No. 8 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 14. Any changes necessary for sizes 16, 18, 38, 40 and 42 are written in brackets thus:—( ).

How to knit in the coloured patterns and details of those shown on pages 10 and 11, will be found on page 9.

BACK: With No. 10 needles cast on 87 sts. *(16—93 sts.) (18—97 sts.) (38—103 sts.) (40—107 sts.) (42—111 sts.).*
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K1. Repeat from * to end of row.
Repeat these 2 rows of (K1. P1) ribbing for 3½ ins. *(16 and 18—3½ ins.) (38, 40 and 42—4 ins.)* ending with 2nd row.

Change to No. 8 needles and continue even in Stocking st. until work from beginning measures 14 ins. *(16 and 18—14 ins.) (38, 40 and 42—15½ ins.)* or desired length, ending with purl row. If making sizes 14, 16 and 18 for a boy, you may like it a little longer. Check with "Measurements" at beginning of this instruction. When knitted to correct tension, work should stretch very easily in width, to one half of the finished bust or chest measurement, whilst retaining the desired length.

To shape armholes: Cast off 5 sts. *(16—5 sts.) (18 and 38—6 sts.) (40 and 42—7 sts.)* beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 65 sts. on needle. *(16—67 sts.) (18—69 sts.) (38—75 sts.) (40—77 sts.) (42—79 sts.).*
Continue even until armhole from first shaping measures 7½ ins. *(16—7½ ins.) (18—8 ins.) (38—8½ ins.) (40 and 42—9 ins.)* ending with purl row.

To shape shoulders: Cast off 7 sts. beginning next 6 rows.
(16 and 18—Cast off 7 sts. beginning next 4 rows, 8 sts. beginning following 2 rows)
(38—Cast off 8 sts. beginning next 4 rows, 7 sts. beginning following 2 rows)
(40 and 42—Cast off 8 sts. beginning next 6 rows).
Cast off remaining sts.

FRONTS WITH "ZIPPER" FASTENER

LEFT FRONT: **To make pocket piece:** With No. 8 needles cast on 21 sts. *(16 and 18—21 sts.) (38, 40 and 42—25 sts.)* and work in Stocking st. for 4 ins. *(16 and 18—4 ins.) (38, 40 and 42—4½ ins.)* ending with knit row. Break wool. Leave these sts. on spare needle.

With No. 10 needles cast on 43 sts. *(16—45 sts.) (18—49 sts.) (38—51 sts.) (40—55 sts.) (42—57 sts.).*
1st row: K2. *P1. K1. Repeat from * to last 5 sts. P1. K4. (The last 4 sts. form Garter st. border at front edge).
2nd row: K5. *P1. K1. Repeat from * to end of row. (side edge).
Repeat these 2 rows for 3½ ins. *(16 and 18—3½ ins.) (38, 40 and 42—4 ins.)* ending with 2nd row.

Change to No. 8 needles and keeping Garter st. border at front edge, as before, continue in Stocking st. until work from beginning measures 6½ ins. *(16 and 18—6½ ins.) (38, 40 and 42—7½ ins.)* ending at front edge.

To make pocket edge: 1st row: Knit the border sts. P9. *(16—P10) (18—P12) (38—P11) (40—P13) (42—P14).* K21. *(16 and 18—K21) (38, 40 and 42—K25)* for pocket edge. Purl to end of row.
2nd row: Knit.
Repeat 1st. and 2nd rows twice, then 1st. row once.
8th row: K9. *(16—K10) (18—K12) (38—K11) (40—K13) (42—K14).* Cast off next 21 sts. *(16 and 18—21 sts.) (38, 40 and 42—25 sts.).* Knit to end of row. (front edge).
9th row: Knit the border sts. Purl to cast-off sts. With wrong side of pocket piece facing, purl across sts. on spare needle. Purl to end of row. (side edge).
Keeping Garter st. border at front edge, continue in Stocking st. until same length as Back to armholes, ending at side edge.

To shape armhole: Keeping Garter st. border at front edge, cast off 5 sts. *(16—5 sts.) (18 and 38—6 sts.) (40 and 42—7 sts.)* beginning next row for armhole, then dec. 1.st. at armhole edge every alternate row to 32 sts. on needle. *(16—33 sts.) (18—35 sts.) (38—37 sts.) (40—39 sts.) (42—40 sts.).*
Note: For Front with Buttonholes, decrease to 36 sts. *(16—37 sts.) (18—39 sts.) (38—41 sts.) (40—43 sts.) (42—44 sts.)* that is to allow for the 4 sts. extra in Garter st. border.

Continue even until armhole from first shaping measures 5½ ins. *(16 and 18—5½ ins.) (38, 40 and 42—6 ins.)* ending at front edge.

To shape neck: Cast off 8 sts. (For Front with Buttonholes, cast off 12 sts.) beginning next row for neck, then dec. 1.st. at neck edge every row to 21 sts. on needle. *(16 and 18—22 sts.) (38—23 sts.) (40 and 42—24 sts.).*
Continue even until armhole measures same as Back to shoulders.

To shape shoulder: At armhole edge, cast off 7 sts. every alternate row 3 times.
(16 and 18—Cast off 7 sts. every alternate row twice, 8 sts. once)
(38—Cast off 8 sts. every alternate row twice, 7 sts. once)
(40 and 42—Cast off 8 sts. every alternate row 3 times).

RIGHT FRONT: Make pocket piece as given for Left Front.
With No. 10 needles cast on 43 sts. *(16—45 sts.) (18—49 sts.) (38—51 sts.) (40—55 sts.) (42—57 sts.).*
1st row: K4. *P1. K1. Repeat from * to last st. K1. (side edge).
2nd row: *K1. P1. Repeat from * to last 5 sts. K5. (The last 4 sts. form Garter st. border at front edge).
Repeat these 2 rows for 3½ ins. *(16 and 18—3½ ins.) (38, 40 and 42—4 ins.)* ending with 2nd row.

Change to No. 8 needles and keeping Garter st. border at front edge, as before, continue in Stocking st. until work from beginning measures 6½ ins. *(16 and 18—6½ ins.) (38, 40 and 42—7½ ins.)* ending at side edge.

(Continued on page 13)

'ORIGINALS' IN SWEATERS *(Continued from page 12)*

To make pocket edge: 1st row: P9. *(16—P10)* *(18—P12)* *(38—P11)* *(40—P13)* *(42—P14)*. K21. *(16 and 18—K21)* *(38, 40 and 42—K25)* for pocket edge. Purl to border sts. then knit them.
2nd row: Knit.
Repeat 1st. and 2nd rows twice, then 1st. row once.
8th row: Knit the border sts. then K9. *(16—K10)* *(18—K12)* *(38—K11)* *(40—K13)* *(42—K14)*. Cast off next 21 sts. *(16 and 18—21 sts.)* *(38, 40 and 42—25 sts.)*. Knit to end of row. (side edge).
9th row: Purl to cast-off sts. With wrong side of pocket piece facing, purl across sts. on spare needle. Purl to border sts. then knit them. (front edge).
Keeping Garter st. border at front edge, continue in Stocking st. until same length as Back to armholes, ending at side edge.
Shape armhole beginning next row and continue exactly as given for Left Front.

FRONTS WITH BUTTONHOLES

Work from instructions for Fronts with "Zipper" Fastener, casting on 4 sts. more for overlap for each size. Keep these extra 4 sts. in Garter st. at front edge, making a border of 8 sts. instead of 4 sts.

Man's Sweater—Work Right Front (without buttonholes) first, then, with pins, on it mark positions for 8 buttons. Mark position of 1st. button on the 5th and 6th rows from beginning and position of 2nd button on 5th and 6th rows from end of ribbing. Mark 6 more button positions approx. 2¾ ins. *(16 and 18—2¾ ins.)* *(38, 40 and 42—3 ins.)* apart, having the 8th one ¼ inch down from neck edge. The buttonholes are worked on the Left Front to correspond to button positions as follows:—Beginning from side edge, work to last 8 sts. K3. Cast off 2 sts. K3. **Next row:** K3. Cast on 2 sts. Work to end of row.

Lady's Sweater—Work Left Front (without buttonholes) first, then, with pins, on it mark positions for 8 buttons as given for Man's Sweater. The buttonholes are worked on the Right Front to correspond to button positions as follows:—Beginning at front edge, K3. Cast off 2 sts. Work to end of row. **Next row:** Work to cast-off sts. Cast on 2 sts. K3.

SLEEVES: With No. 10 needles cast on 39 sts. *(16—39 sts.)* *(18—41 sts.)* *(38—43 sts.)* *(40 and 42—45 sts.)*.
Work 3 ins. *(16 and 18—3 ins.)* *(38, 40 and 42—3½ ins.)* in (K1. P1) ribbing as given for Back ending with 1st. row.
Next row: Rib, increasing across row to 47 sts. on needle. *(16—47 sts.)* *(18—49 sts.)* *(38—51 sts.)* *(40 and 42—53 sts.)*.

Change to No. 8 needles and continue in Stocking st. inc. 1.st. each end of needle on 9th and every following 8th row *(16 and 18—8th row)* *(38, 40 and 42—6th row)* to 65 sts. on needle. *(16—67 sts.)* *(18—69 sts.)* *(38—77 sts.)* *(40—79 sts.)* *(42—81 sts.)*.
Continue even until sleeve from beginning measures 17 ins. *(16 and 18—17 ins.)* *(38, 40 and 42—18 ins.)* or desired length, ending with purl row.

To shape cap: Cast off 2 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next and every alternate row to 37 sts. on needle. *(16 and 18—39 sts.)* *(38 and 40—45 sts.)* *(42—47 sts.)*, then every row to 15 sts. on needle. *(16 and 18—17 sts.)* *(38 and 40—23 sts.)* *(42—25 sts.)*. Cast off remaining sts.

SHAWL COLLAR: (As shown on page 10, centre and right and on page 11, left). With No. 8 needles cast on 6 sts.

1st row: K1. Inc. 1.st. in next st. K2. Inc. 1.st. in next st. K1.
2nd row: Knit.
3rd row: K1. Inc. 1.st. in next st. Knit to last 2 sts. Inc. 1.st. in next st. K1.
4th row: Knit. Repeat 3rd and 4th rows to 16 sts. on needle. *(16 and 18—16 sts.)* *(38, 40 and 42—18 sts.)*.

Next row: (outside edge). K1. Inc. 1.st. in next st. Knit to end of row.
Next row: Knit. Repeat last 2 rows to 24 sts. on needle. *(16 and 18—24 sts.)* *(38, 40 and 42—29 sts.)*.

Knit even in Garter st. (plain knitting every row) until work from beginning measures 11½ ins. *(16—11½ ins.)* *(18 and 38—12½ ins.)* *(40 and 42—13½ ins.)* ending at outside edge. Proceed:—

1st row: K1. K2tog. Knit to end of row. (neck edge).
2nd row: Knit. Repeat these 2 rows to 16 sts. on needle. *(16 and 18—16 sts.)* *(38, 40 and 42—18 sts.)*.

(Continued in right column)

PULLOVER *(Continued from page 16)*

Change to set of 4 No. 10 needles and having right side of each piece facing, join sleeves and body in round as follows:—

NECKBAND: **Size 14:** Working across sts. of last sleeve, P1. K1. P2tog. K1. P1. K2tog. P1. K1. P2tog. K1. Purl last st. tog. with 1st. st. of Front, to keep rib even. Working across sts. of Front and dividing sts. on 3 needles, *(27. 26. 27)* as sts. are picked up, K1. P2tog. K1. P1. K1. Pick up and knit 3 sts. along decreased edge. (K1. P1)twice. K2tog. P1. K1. P2tog. K1. P1. K2tog. (P1. K1)twice. Pick up and knit 3 sts. along decreased edge. K1. P1. K1. P2tog. K1. Purl last st. tog. with 1st. st. of sleeve. K1. P2tog. K1. P1. K2tog. P1. K1. P2tog. K1. Purl last st. tog. with 1st. st. of Back. K1. P2tog. (K1. P1)twice. (K1. P2tog. K1. P1. K2tog. P1)twice. K1. P2tog. (K1. P1) twice. K1. P2tog. K1. Purl last st. tog. with 1st. st. of round. 80 sts. in round. *(26. 26. 28)*.

Size 16: Working across sts. of sleeve, P1. K1. P2tog. K1. P1. K2tog. P1. K1. P2tog. K1. Purl last st. tog. with 1st. st. of Front, to keep rib even. Working across sts. of Front and dividing sts. on 3 needles *(29. 28. 27)* as sts. are picked up, K1. P2tog. K1. P1. K1. Pick up and knit 3 sts. along decreased edge. K1. (P1. K2tog. P1. K1. P2tog. K1)twice. P1. K2tog. P1. K1. Pick up and knit 3 sts. along decreased edge. K1. P1. K1. P2tog. K1. Purl last st. tog. with 1st. st. of sleeve. K1. P2tog. K1. P1. K2tog. P1. K1. P2tog. K1. Purl last st. tog. with 1st. st. of Back. (K1. P2tog. K1. P1)twice. (K2tog. P1. K1. P2tog. K1. P1)twice. K2tog. (P1. K1. P2tog. K1)twice. Purl last st. tog. with 1st. st. of round. 84 sts. in round. *(28. 28. 28.)*.

Size 18: Working across sts. of sleeve, P1. K1. P2tog. K1. P1. K2tog. P1. K1. P2tog. K1. Purl last st. tog. with 1st. st. of Front, to keep rib even. Working across sts. of Front and dividing sts. on 3 needles *(29. 30. 29)* as sts. are picked up, K1. P2tog. K1. P1. K1. Pick up and knit 3 sts. along decreased edge. (K2tog. P1. K1. P2tog. K1. P1)3 times. K2tog. Pick up and knit 3 sts. along decreased edge. K1. P1. K1. P2tog. K1. Purl last st. tog. with 1st. st. of sleeve. K1. P2tog. K1. P1. K2tog. P1. K1. P2tog. K1. Purl last st. tog. with 1st. st. of Back. K1. P2tog. K1. (P1. K2tog.)twice. (P1. K1. P2tog. K1. P1. K2tog.)3 times. P1. K2tog. P1. K1. P2tog. K1. Purl last st. tog. with 1st. st. of round. 88 sts. in round. *(28. 30. 30)*.

For Ribbed Neckband: Work 3½ ins. (K1. P1) ribbing. Cast off **loosely** in ribbing.

For Hemmed Neckband: Break Main Colour. Join Contrasting Colour.
1st round: K5. *K2tog. K6. Repeat from * to end of round.
Knit even in rounds for 2¾ ins.
Next round: K5. *Inc. 1.st. in next st. K6. Repeat from * to end of round. Cast off **loosely**.

TO MAKE UP: Block and Press each piece as given on page 29. Sew raglan seams very neatly, matching row for row. Sew side and sleeve seams. Turn neckband under and hem the cast-off edge along the picked up row.

'ORIGINALS' IN SWEATERS *(Continued)*

Next row: K1. K2tog. Knit to last 3 sts. K2tog. K1.
Next row: Knit. Repeat last 2 rows to 6 sts. on needle. Cast off.

PLAIN COLLAR: (As shown on page 10, left and page 11, centre). With No. 8 needles cast on 20 sts. *(16 and 18—20 sts.)* *(38, 40 and 42—22 sts.)*.
Work 13 ins. *(16—13 ins.)* *(18—14 ins.)* *(38—15 ins.)* *(40 and 42—16 ins.)* Garter st. (plain knitting every row). Cast off.

RIBBED COLLAR: (Suitable only for "Zippered" Styles as shown on page 11, right). With No. 10 needles cast on 71 sts. *(16—71 sts.)* *(18—75 sts.)* *(38—79 sts.)* *(40 and 42—83 sts.)*.
Work 6 rows (K1. P1) ribbing as given for Back.
Keeping continuity of ribbing, cast off 2 sts. beginning every row to 31 sts. on needle. Cast off remaining sts.

TO MAKE UP: Block and Press each piece as given on page 29. Sew side, shoulder and sleeve seams. Sew in sleeves. Sew pocket pieces in position on wrong side. Placing ends of Shawl Collar or Plain Collar to each front edge sew in position as illustrated. Sew the cast-off edge of the Ribbed Collar around neck. Turn under and hem the cast-on edge along this seam on wrong side. Sew in "Zipper" Fastener or sew buttons to correspond to buttonholes.

Chart Designs for

Give rein to your imagination and have fun knitting your own distinctive and original sweaters, using the Basic Instructions given on pages 8 and 12, or any other plain knitting instructions which you may like to use.

DUTCH BOY AND GIRL

(shown on page 11 centre)

Each 19 sts. wide—30 rows deep



PENGUINS FOR BACK OF A SWEATER

49 sts. wide—23 rows deep

Penguins at left and right indicated by additional vertical lines, may be used for fronts and sleeves. These are 14 sts. wide—23 rows deep. ⊡ Black ⊠ White



ALPHABET

each letter 5 sts. wide—7 rows deep except I and Q



SCOTTY

20 sts. wide—14 rows deep



BUNNY

20 sts. wide—20 rows deep



TRAFFIC LIGHTS

9 sts. wide
31 rows deep

⊠ RED
⊡ YELLOW
⊙ GREEN
◪ BLACK



SPUTNIK

20 sts. wide—22 rows deep



FISH

19 sts. wide—24 rows deep



BIRD

14 sts. wide—13 rows deep



MINICAR

25 sts. wide—13 rows deep



WINDSOCK AND HANGAR FOR BACK OF A SWEATER

37 sts. wide—34 rows deep (use Jets on fronts)



JETS

(shown on page 10, centre)
19 sts. wide—28 rows deep



SATELLITE

31 sts. wide—28 rows deep



'Originals' in Sweaters

How to use the charts and knit in these coloured patterns is described on page 9. A few of these designs are shown in the sweaters on pages 10 and 11 as suggestions to start you on your way, using the patterns and colours you prefer.

ALPHABET

each letter 5 sts. wide—7 rows deep except I and Q



BOW KNOT

(shown on page 11, left)

22 sts. wide—25 rows deep
Circle shows position for button



HORSE'S HEAD

17 sts. wide—25 rows deep



BUTTERFLY

(shown on page 10, left)

24 sts. wide—19 rows deep



ROSE

15 sts. wide—18 rows deep



HEART

27 sts. wide—31 rows deep
Rectangle outlines indicate positions for initials. Chart shows Heart shape. may also be knitted solid red.



POODLE

(shown on page 11, left)

26 sts. wide—36 rows deep



CREST

(shown on page 10, right)

27 sts. wide—36 rows deep
Rectangle outlines indicate positions for initials.



SKIER

(shown on page 11, right)

34 sts. wide—39 rows deep



SEA GULL

22 sts. wide—33 rows deep



SOCCER PLAYER

37 sts. wide—34 rows deep



Pullover for Ladies and Teens

With Deep Raglan Sleeves
Ribbed or Contrasting Borders
Shown on Cover (centre) and page 17 (right)

MATERIALS:
The instructions for this easy-fitting pullover with deep raglan sleeves and new ribbed texture, require Beehive Superior Double Knitting to produce the exact effect as shown. For the style shown on the cover with contrasting hemmed borders, you will require:—9 (2 oz.) balls (*16 and 18—10 balls*) with 2 balls of Contrasting Colour. The style shown on page 17 in one colour takes 11 (2 oz.) balls. (*16—11 balls*) (*18—12 balls*). The needles to use are:—Two No. 10 and two No. 7 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with Beehive Superior Double Knitting. Set of 4 No. 10 Queen Bee Knitting Needles with points at both ends.

MEASUREMENTS:	Size 14	Size 16	Size 18
Chest or bust measurement	32 ins.	34 ins.	36 ins.
Chest or bust measurement of finished garment	34 "	36 "	38 "
Length at centre back (excluding neckband)	21 "	21¾ "	22½ "
Length of sleeve underarm seam	16 "	16½ "	17 "

Tension: 10 sts. and 13 rows = 2 ins. with No. 7 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

TO "CROSS KNITWAYS": Having wool at **back** of work, insert point of right hand needle from right to left through the **back** of the **2nd st.** on left hand needle. Knit this st. but do not slip off needle. Knit 1st. st. on left hand needle in usual manner. Slip both sts. off needle together. The working of 2 sts. in this manner will be termed "Cross knitways" throughout.

The instructions are written for size 14. Any changes necessary for sizes 6 and 18 are written in brackets thus:—( ).

BACK: With desired colour and No. 10 needles cast on 80 sts. (*16—86 sts.*) (*18—92 sts.*) for both styles.

For Ribbed Border: Work 3 ins. (K1. P1) ribbing.

For Hemmed Border: Work 3½ ins. Stocking st. ending with purl row. Break Contrasting Colour. Join Main Colour.

To make hem: Fold the cast-on edge, away from you, up to meet the sts. on the needle, thus having wrong sides of work facing each other. Insert right hand needle through 1st. st. as usual and then through the 1st. loop on the cast-on row. Wool over needle and draw a st. through the cast-on loop and the st. on the needle, thus knitting the st. on left hand needle together with the loop on the cast-on row. Slip st. off left hand needle as usual. Continue in this manner across the entire row, taking care not to miss any of the cast-on loops.

Continue for both styles:—

Change to No. 7 needles.
Next row: P2. *K1. Inc. 1.st. purlways in each of next 2 sts. K1. P2. Repeat from * to end of row. 106 sts. on needle. (*16—114 sts.*) (*18—122 sts.*). Proceed:—

1st row: K2. *P1. (Cross knitways)twice. P1. K2. Repeat from * to end of row.
2nd row: P2. *K1. P4. K1. P2. Repeat from * to end of row.
These 2 rows complete one pattern for Back.

Continue even in pattern until work from lower edge measures 11½ ins. (*16—12 ins.*) (*18—12½ ins.*) or desired length, ending with 2nd pattern row. If knitting this sweater for a boy, you may like it a little longer. Check with "Measurements" at beginning of this instruction.

When knitted to correct tension, work should stretch very easily in width, to one half of the finished chest or bust measurement, whilst retaining the desired length.

To shape armholes: Keeping continuity of pattern, cast off 2 sts. beginning next 2 rows.
3rd row: P1. (Cross knitways)twice. P1. Sl.1. K1. p.s.s.o. Work in pattern to last 8 sts. K2tog. P1. (Cross knitways)twice. P1.
4th row: K1. P4. K1. P1. Work in pattern to last 7 sts. P1. K1. P4. K1.
Repeat 3rd and 4th rows to 36 sts. on needle (*16—40 sts.*) (*18—44 sts.*) ending with 4th row. Break wool. Leave these sts. on a thread.

FRONT: With No. 10 needles cast on 80 sts. (*16—86 sts.*) (*18—92 sts.*) and work exactly as given for Back to 42 sts. on needle (*16—46 sts.*) (*18—50 sts.*) ending with 4th row, that is 6 rows less than worked on Back.

To shape neck: 1st row: P1. (Cross knitways)twice. P1. Sl.1. K1. p.s.s.o. K2. K2tog. (*16—P1. (Cross knitways)twice. P1. Sl.1. K1. p.s.s.o. P1. K1. K2tog.*) (*18 as 14*). Turn.

Working on these 10 sts. continue:—
2nd row: Work even in pattern.
3rd row: P1. (Cross knitways)twice. P1. Sl.1. K1. p.s.s.o. K2tog. (*all sizes*).
4th row: Work even in pattern.
5th row: P1. (Cross knitways)twice. P1. Sl.1. K1. p.s.s.o.
6th row: Work even in pattern. Break wool. Leave these 7 sts. and next 18 sts. (*16—22 sts.*) (*18—26 sts.*) on a thread.

With right side of work facing, join wool at neck edge to remaining 12 sts. and work to correspond. Leave remaining 7 sts. on thread with sts. of Front. 32 sts. on thread. (*16—36 sts.*) (*18—40 sts.*).

SLEEVES: With No. 10 needles cast on 40 sts. (*16—40 sts.*) (*18—46 sts.*).
Work desired border as given for Back.

Change to No. 7 needles.
Next row: K1. Inc. 1.st. purlways in each of next 2 sts. K1. *P2. K1. Inc. 1.st. purlways in each of next 2 sts. K1. Repeat from * to end of row. 54 sts. on needle. (*16—54 sts.*) (*18—62 sts.*).

1st row: P1. (Cross knitways)twice. P1. *K2. P1. (Cross knitways)twice. P1. Repeat from * to end of row.
2nd row: K1. P4. K1. *P2. K1. P4. K1. Repeat from * to end of row.
These 2 rows complete one pattern for Sleeves.

Keeping continuity of pattern and working increased sts. in pattern, inc. 1.st. each end of needle on 3rd and every following 4th row to 90 sts. on needle. (*16—90 sts.*) (*18—98 sts.*).
Continue even until sleeve from beginning measures approx. 16 ins. (*16—16½ ins.*) (*18—17 ins.*) or desired length, ending with 2nd pattern row.

To shape cap: Keeping continuity of pattern, cast off 2 sts. beginning next 2 rows.
3rd row: P1. (Cross knitways)twice. P1. Sl.1. K1. p.s.s.o. Work in pattern to last 8 sts. K2tog. P1. (Cross knitways)twice. P1.
4th row: K1. P4. K1. P1. Work in pattern to last 7 sts. P1. K1. P4. K1.
Repeat 3rd and 4th rows to 26 sts. on needle (*16—18 sts.*) (*18—26 sts.*) ending with 3rd row.

Next row: (wrong side facing). K1. P4. K1. P2tog. Work in pattern to last 8 sts. P2tog. through back of loops. K1. P4. K1.
Next row: P1. (Cross knitways)twice. P1. Sl.1. K1. p.s.s.o. Work in pattern to last 8 sts. K2tog. P1. (Cross knitways)twice. P1. 22 sts. on needle. (*16—14 sts.*) (*18—22 sts.*).
Repeat last 2 rows for sizes 14 and 18 to 14 sts. on needle.
Next row: K1. P4. K1. P2. K1. P4. K1. Break wool. Leave these sts. on a thread.
When 2nd sleeve is completed, **do not break wool,** for either style.

(Continued on page 13)

For Gaiety and Fun

PULLOVER (left) see page 18

PULLOVER (right) see page 16

Pullover for Ladies and Teens

In the Scandinavian Way

Shown on page 17 (left)

MATERIALS:
The deep colourful yoke and point-finished borders of this raglan sleeve pullover will find favour with both girls and boys. The wool to use, when knitting from these instructions, is Beehive Superior Double Knitting. You will require:—5 (2 oz.) balls Main Colour (B). *(16—5 balls)* *(18—6 balls)*. 2 balls Contrasting Colour (D) for Ribbed Borders. *(16—2 balls)* *(18—3 balls)*. 1 ball of each of two other Contrasting Colours (A) and (C) for all sizes. Two No. 10, two No. 8 and two No. 7 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with Beehive Superior Double Knitting. Set of 4 No. 10 Queen Bee Knitting Needles with points at both ends.

MEASUREMENTS:	Size 14	Size 16	Size 18
Bust or chest measurement	32 ins.	34 ins.	36 ins.
Bust or chest measurement of finished garment	34 "	36 "	38 "
Length at centre back (excluding neckband)	20¾ "	21¼ "	22¼ "
Length of sleeve underarm seam	16 "	16½ "	17 "

Tension: 10½ sts. and 14 rows = 2 ins. with No. 8 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 14. Any changes necessary for sizes 16 and 18 are written in brackets thus:—( ).

BACK: With (D) and No. 10 needles cast on 85 sts. *(16—91 sts.)* *(18—97 sts.)*.
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K1. Repeat from * to end of row.
Repeat these 2 rows of (K1. P1) ribbing for 3 ins. ending with 2nd row.

Note: The coloured pattern is worked in the Stranded Method by carrying the wool not in use, **loosely** across back (the purl side) of work, see page 24. As each colour is completed in the yoke, do **not** break it, as it can be lifted up for its next use and the long strand may be caught down when the seam is being sewn, thus eliminating many ends to darn in.

Change to No. 8 needles and proceed:—
1st row: K3(D). Join (B). *K1(B). 5(D). Repeat from * to last 4 sts. K1(B). 3(D).
2nd row: P2(D). *P3(B). 3(D). Repeat from * to last 5 sts. P3(B). 2(D).
3rd row: K1(D). *K5(B). 1(D). Repeat from * to end of row. Break (D).**

Beginning with purl row, continue even in Stocking st. until work from beginning measures 12 ins. *(16—12½ ins.)* *(18—13 ins.)* or desired length, ending with purl row. If knitting this sweater for a boy, you may like it a little longer. Check with "Measurements" at beginning of this instruction.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished bust or chest measurement, whilst retaining the desired length.

To shape armholes: Cast off 3 sts. *(16—4 sts.)* *(18—5 sts.)* beginning next 2 rows.

Change to No. 7 needles.
Beginning every row from right hand side, work from Chart, dec. 1 st. each end of needle on 1st. and every alternate row, to end of Chart.
Break all wools except (D). 33 sts. on needle. *(16—37 sts.)* *(18—41 sts.)*.

(Continued on page 19)


45th row
Centre st. Front and Back
Centre st. Sleeves
Work each row from right hand side to centre st. then back to right hand side again.
14
16
18

CONTRASTING COLOUR (A)
CONTRASTING COLOUR (C)
CONTRASTING COLOUR (D)
MAIN COLOUR (B)

PULLOVER *(Continued from page 18)*

Change to No. 8 needles.
Continue in Stocking st. dec. 1.st. each end of needle every alternate row to 25 sts. on needle *(16 and 18—29 sts.)* ending with purl row. Break wool and leave these sts. on a thread.

FRONT: With (D) and No. 10 needles cast on 85 sts. *(16—91 sts.)* *(18—97 sts.)* and work exactly as given for Back to 33 sts. on needle. *(16—37 sts.)* *(18—41 sts.)*.

Change to No. 8 needles.
Continue in Stocking st. dec. 1.st. each end of needle every alternate row to 31 sts. on needle *(16 and 18—35 sts.)* and end with purl row.
Next row: K2tog. K3. **Turn.**
Working on these 4 sts. and keeping neck edge even, dec. 1.st. at armhole edge every alternate row until all sts. are worked off.

Leaving next 21 sts. *(16 and 18—25 sts.)* on a thread for front of neck, with right side of work facing, join wool at neck edge to remaining 5 sts. and work other side to correspond.

SLEEVES: With (D) and No. 10 needles cast on 37 sts. *(16—37 sts.)* *(18—41 sts.)*.
Work 3 ins. (K1. P1) ribbing as given for Back ending with 1st. row.
Next row: Rib, increasing across row to 43 sts. on needle. *(16—43 sts.)* *(18—49 sts.)*.

Change to No. 8 needles and work from ** to ** as given for Back. Purl 1 row.
Continue in Stocking st. inc. 1.st. each end of needle on next and every following 6th row to 71 sts. on needle. *(16—71 sts.)* *(18—77 sts.)*.

Continue even until sleeve from beginning measures 16 ins. *(16—16½ ins.)* *(18—17 ins.)* or desired length, ending with purl row.

To shape cap: Cast off 3 sts. *(16—3 sts.)* *(18—4 sts.)* beginning next 2 rows.

Change to No. 7 needles and working sizes 14 and 16 from size 16 and size 18 from size 18, work from Chart to correspond to Back. Break all wools except (D). 19 sts. on needle. *(16—19 sts.)* *(18—23 sts.)*.

Change to No. 8 needles.
Continue in Stocking st. dec. 1.st. each end of needle every alternate row to 11 sts. on needle ending with purl row. Break wool. Leave these sts. on a thread.
When 2nd sleeve is completed, **do not break wool.**

Change to set of 4 No. 10 needles and having right side of each piece facing, join sleeves and body in round as follows:—

NECKBAND: Knit across sts. of last sleeve. Working across sts. of Front and dividing sts. on 3 needles as sts. are picked up, pick up and knit 5 sts. *(16—3 sts.)* *(18—5 sts.)* along left side of neck. Knit sts. at centre front. Pick up and knit 5 sts. *(16—3 sts.)* *(18—5 sts.)* along right side of neck. Knit sts. of other sleeve then sts. of Back. 78 sts. in round. *(16—82 sts.)* *(18—86 sts.)*.
Join in round and work 2½ ins. (K1. P1) ribbing. Cast off **loosely** in ribbing.

TO MAKE UP: Block and Press each piece as given on page 29. Darn in ends. Sew side and sleeve seams. Sew in sleeves, matching row for row. Fold neckband over to wrong side and sew the cast-off edge along the picked up row.

JACKET *(Continued from page 20)*

Keeping border of 12 sts. in Moss st. at front edge, continue even in Stocking st. until same length as Back to armholes, ending at side edge.

To shape armhole: Keeping Moss st. border at front edge, cast off 6 sts. *(16—6 sts.)* *(18—7 sts.)* *(20—8 sts.)* beginning next row for armhole, then dec. 1.st. at armhole edge every alternate row to 38 sts. on needle. *(16—39 sts.)* *(18—40 sts.)* *(20—41 sts.)*.
Continue even until armhole measures 3 ins. from first shaping ending at front edge.

With another ball of wool, onto the free needle, cast on 16 sts. for collar. Break wool.
Using the needle with sts. of front, (P1. K1)8 times across these 16 sts. 54 sts. on needle. *(16—55 sts.)* *(18—56 sts.)* *(20—57 sts.)*.
Next row: (K1. P1)14 times. Purl to end of row.
Work 2 more rows even, thus ending at armhole edge.

****To shape neck: 1st row:** Knit to last 29 sts. P2tog. Moss st. to end of row.
2nd row: (K1. P1)14 times. **Turn.**
3rd row: Slip 1st. st. Moss st. to end of row, thus adding 2 rows to Moss st. border.
4th row: (K1. P1)14 times. Purl to end of row.
5th row: Knit to last 28 sts. (P1. K1)14 times.
6th row: (K1. P1)14 times. Purl to end of row.
Repeat these 6 rows to 49 sts. on needle. *(16—49 sts.)* *(18 and 20—50 sts.)*.
Keeping border of 28 sts. in Moss st. continue even until armhole measures same as Back to shoulders, ending at armhole edge.

To shape shoulder: Keeping Moss st. border at front edge, at armhole edge cast off 7 sts. every alternate row 3 times. *(16 as 14)* *(18 and 20—Cast off 7 sts. every alternate row twice, 8 sts. once)*.
Work 3 ins. even in Moss st. on remaining 28 sts. to be sewn across one half of back of neck. Cast off.

RIGHT FRONT: Make pocket piece and pocket flap as given for Left Front.

Cast on 51 sts. *(16—53 sts.)* *(18—56 sts.)* *(20—59 sts.)*.
1st row: (K1. P1)6 times. Knit to end of row. (side edge).
2nd row: Purl to last 12 sts. (P1. K1)6 times. (The last 12 sts. form Moss st. border at front edge).
Repeat these 2 rows for 5 ins. ending with purl row.

Next row: (K1. P1)3 times. Cast off 2 sts. for buttonhole. (K1. P1)twice. K10. *(16—K12)* *(18—K13)* *(20—K16)*. Cast off 23 sts. for pocket opening. Knit to end of row.

Next row: Purl to cast-off sts. Purl the 23 sts. of pocket piece. Purl to last 10 sts. (P1. K1)twice. Cast on 2 sts. (P1. K1)3 times.

Before proceeding, on Left Front, with pins, mark position of 1st. button to correspond to buttonhole just worked on Right Front. Mark 3 more button positions approx. 3½ ins. apart, having 4th one 1-inch below collar.

Attaching pocket flap on next row and working buttonholes to correspond to positions marked on Left Front, continue to correspond to Left Front being careful to have all shapings for opposite side, until armhole measures 3 ins. from first shaping, ending at front edge. Cast on 16 sts. for collar.

Next row: (K1. P1)14 times. Knit to end of row. 54 sts. on needle. *(16—55 sts.)* *(18—56 sts.)* *(20—57 sts.)*.
Work 2 rows even thus ending at armhole edge.
Beginning at ** and reading purl for knit, and knit for purl, when working the Stocking st. portion, continue as given for Left Front.

SLEEVES: Cast on 33 sts. *(16—33 sts.)* *(18 and 20—35 sts.)*.
Work 14 rows Moss st.
15th row: K1. *Inc. 1.st. in next st. K1. Repeat from * to end of row. 49 sts. on needle. *(16—49 sts.)* *(18 and 20—52 sts.)*.
Beginning with purl row, continue in Stocking st. inc. 1.st. each end of needle every 8th row to 67 sts. on needle. *(16—67 sts.)* *(18 and 20—70 sts.)*.
Continue even until sleeve measures 14 ins. from beginning, or desired length, ending with purl row.

To shape cap: Cast off 2 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next and every alternate row to 39 sts. on needle. *(16—39 sts.)* *(18 and 20—40 sts.)* then every row to 17 sts. on needle. *(16—17 sts.)* *(18 and 20—18 sts.)* Cast off remaining sts.

TO MAKE UP: Block and Press each piece as given on page 29. Sew side, shoulder and sleeve seams. Sew side edges of pocket pieces in position on wrong side, bringing the cast-on edges down to meet the cast-on edges of fronts. Sew in sleeves. Sew the cast-off sts. of collar together and placing this seam at centre back of neck, sew in position. Sew buttons to correspond to buttonholes. With right side of work facing, join wool at corner of Left Front and crochet firmly in s.c. along cast-on edge, working through the edge of the front and the edge of the pocket piece to join. Work 1 row s.c. across cast-off edge of each pocket. It is advisable to sew a continuous length of grosgrain ribbon, ¼ inch wide, cut to desired size, across each shoulder and back of neck. This will prevent the overstretching of shoulders and neck during wearing and washing.

Jacket for Ladies and Misses

See below

MATERIALS:
Simply but elegantly styled, this jacket is knitted with Beehive Superior Double Knitting. Of special note are the square-cut collar, pocket flaps and full sleeves neatly cuffed. You will need:—9 (2 oz.) balls. *(16—9 balls) (18 and 20—10 balls).* Two No. 8 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with Beehive Superior Double Knitting. One Medium Crochet Hook. 4 Buttons. ¼ yd. Grosgrain Ribbon, ⅛ inch wide.

MEASUREMENTS:	Size 14	Size 16	Size 18	Size 20
Bust measurement	32 ins.	34 ins.	36 ins.	38 ins.
Bust measurement of finished garment	36 "	38 "	40 "	42 "
Length from top of shoulder	21 "	21 "	21½ "	21½ "
Length of sleeve underarm seam	14 "	14 "	14 "	14 "

Tension: 10½ sts. and 14 rows = 2 ins. with No. 8 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 14. Any changes necessary for sizes 16, 18, and 20 are written in brackets thus:—( ).

BACK: Cast on 89 sts. *(16—93 sts.) (18—99 sts.) (20—105 sts.).* Work 13½ ins. even in Stocking st. or desired length, ending with purl row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished bust measurement, whilst retaining the desired length.

To shape armholes: Cast off 6 sts. *(16—6 sts.) (18—7 sts.) (20—8 sts.)* beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 65 sts. on needle. *(16—67 sts.) (18—69 sts.) (20—71 sts.).*
Continue even until armhole from first shaping measures 7½ ins. *(16—7½ ins.) (18 and 20—8 ins.)* ending with purl row.

To shape shoulders: Cast off 7 sts. beginning next 4 rows, 7 sts. *(16—7 sts.) (18 and 20—8 sts.)* beginning following 2 rows. Cast off remaining sts.

LEFT FRONT: **To make pocket piece:** Cast on 23 sts. Work 4¾ ins. even in Stocking st. ending with **knit** row. Break wool. Leave these sts. on spare needle.

To make pocket flap: Cast on 23 sts.
1st row: K1. *P1. K1. Repeat from * to end of row.
Repeat this row for Moss st. for 14 rows in all. Break wool. Leave these sts. on another spare needle.

Cast on 51 sts. *(16—53 sts.) (18—56 sts.) (20—59 sts.).*
1st row: Knit to last 12 sts. (P1. K1)6 times. (The last 12 sts. form Moss st. border at front edge).
2nd row: (K1. P1)6 times. Purl to end of row. (side edge).
Repeat these 2 rows for 5 ins. ending with purl row.

Next row: K6. *(16—K6) (18 and 20—K8).* Cast off 23 sts. for pocket opening. Knit to last 12 sts. (P1. K1)6 times.

Next row: (K1. P1)6 times. Purl to cast off sts. Purl the 23 sts. of pocket piece. Purl to end of row.

Next row: K6. *(16—K6) (18 and 20—K8).* Place pocket flap sts. in front of work and knit tog. 1.st. from flap and 1.st. from front, 23 times. Knit to last 12 sts. (P1. K1)6 times.

(Continued on page 19)

Cardigan for Ladies and Misses

Classic Lines for Easy Knitting

Shown on page 23 (left)

MATERIALS:
The smooth neat look of the classic has universal appeal. This example is knitted with Beehive Superior Double Knitting and in order to knit a satisfactory garment from these instructions, be sure to use this wool. You will need:—8 (2 oz.) balls. *(16—8 balls) (18 and 20—9 balls).* Two No. 10 and two No. 8 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with Beehive Superior Double Knitting. 2 Safety Pins. 10 Buttons.

MEASUREMENTS:	Size 14	Size 16	Size 18	Size 20
Bust measurement	32 ins.	34 ins.	36 ins.	38 ins.
Bust measurement of finished garment	34 "	36 "	38 "	40 "
Length from top of shoulder	20 "	20 "	20½ "	20½ "
Length of sleeve underarm seam	17 "	17 "	17 "	17 "

Tension: 10½ sts. and 14 rows = 2 ins. with No. 8 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 14. Any changes necessary for sizes 16, 18 and 20 are written in brackets thus:—( ).

BACK: With No. 10 needles cast on 83 sts. *(16—89 sts.) (18—93 sts.) (20—99 sts.).*
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K1. Repeat from * to end of row.
Repeat these 2 rows of (K1. P1) ribbing for 3½ ins. ending with 2nd row.

Change to No. 8 needles and continue even in Stocking st. until work measures 13 ins. from beginning, or desired length, ending with purl row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished bust measurement, whilst retaining the desired length.

To shape armholes: Cast off 5 sts. *(16 and 18—6 sts.) (20—7 sts.)* beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 63 sts. on needle. *(16—65 sts.) (18—67 sts.) (20—69 sts.).*
Continue even until armhole from first shaping measures 7 ins. *(16—7 ins.) (18 and 20—7½ ins.)* ending with purl row.

To shape shoulders: Cast off 7 sts. beginning next 4 rows, then 6 sts. *(16 and 18—7 sts.) (20—8 sts.)* beginning following 2 rows. Break wool and leave remaining 23 sts. *(16—23 sts.) (18 and 20—25 sts.)* on spare needle.

LEFT FRONT: With No. 10 needles cast on 46 sts. *(16—48 sts.) (18—52 sts.) (20—54 sts.).*

1st row: K2. *P1. K1. Repeat from * to last 8 sts. P1. K7. (The last 7 sts. form Garter st. border at front edge).
2nd row: K8. *P1. K1. Repeat from * to end of row. (side edge).
Repeat these 2 rows for 3½ ins. ending with 2nd row.

Change to No. 8 needles and keeping Garter st. border at front edge, continue even in Stocking st. until same length as Back to armholes, ending at side edge.

To shape armhole: Keeping Garter st. border at front edge, cast off 5 sts. *(16—6 sts.) (18—7 sts.) (20—8 sts.)* beginning next row for armhole, then dec. 1.st. at armhole edge every alternate row to 35 sts. on needle. *(16—36 sts.) (18—37 sts.) (20—38 sts.).*
Continue even until armhole measures 5½ ins. from first shaping ending at armhole edge.

To shape neck: Work to last 12 sts. Leave these 12 sts. on safety pin for neck. Turn.
Working on remaining 23 sts. *(16—24 sts.) (18—25 sts.) (20—26 sts.)* dec. 1.st. at neck edge every row to 20 sts. on needle. *(16—and 18—21 sts.) (20—22 sts.).*
Continue even until armhole measures same as Back to shoulders.

To shape shoulder: At armhole edge, cast off 7 sts. every alternate row twice, 6 sts. *(16 and 18—7 sts.) (20—8 sts.)* once.

RIGHT FRONT: With No. 10 needles cast on 46 sts. *(16—48 sts.) (18—52 sts.) (20—54 sts.).*

1st row: K7. *P1. K1. Repeat from * to last st. K1. (side edge).
2nd row: *K1. P1. Repeat from * to last 8 sts. K8. (The last 7 sts. form Garter st. border at front edge).
Repeat these 2 rows twice more.

7th row: (1st. buttonhole). K2. (K2tog. Wl.fwd. for buttonhole). K3. Rib to end of row.
8th row: As 2nd row.

Before proceeding, on Left Front, with pins, mark position of 1st. button to correspond to buttonhole just worked on Right Front. Mark 8 more button positions approx. 2 ins. apart, having 9th one, 1½ ins. down from neck edge. The 10th one goes in the 1½-inch neckband.
Working buttonholes to correspond to positions marked on Left Front, continue to correspond to Left Front being careful to have all shapings for opposite side.

NECKBAND: Sew shoulder seams. With right side of work facing, slip the sts. of Right Front safety pin onto No. 10 needle. Join wool. Pick up and knit 12 sts. *(16 and 18—13 sts.) (20—14 sts.)* along right side of neck. Knit across sts. from spare needle at back of neck. Pick up and knit 12 sts. *(16 and 18—13 sts.) (20—14 sts.)* along left side of neck. Knit the 12 sts. of Left Front safety pin. 71 sts. on needle. *(16—73 sts.) (18—75 sts.) (20—77 sts.).*

1st row: K8. *P1. K1. Repeat from * to last 7 sts. K7.
2nd row: K7. *P1. K1. Repeat from * to last 8 sts. P1. K7.
Working 10th buttonhole approx. 2 ins. above 9th, repeat these 2 rows for 1½ ins. in all. Cast off **loosely** in ribbing.

SLEEVES: With No. 10 needles cast on 37 sts. *(16—37 sts.) (18 and 20—39 sts.).*
Work 3 ins. (K1. P1) ribbing as given for Back ending with 2nd row.
Next row: K1. *(16—K1) (18 and 20—K3)* *Inc. 1.st. in next st. K5. Repeat from * to end of row. 43 sts. on needle. *(16—43 sts.) (18 and 20—45 sts.).*

Change to No. 8 needles and beginning with purl row, continue in Stocking st. inc. 1.st. each end of needle every 6th row to 63 sts. on needle. *(16—65 sts.) (18—67 sts.) (20—69 sts.).*
Continue even until sleeve measures 17 ins. from beginning, or desired length, ending with purl row.

To shape cap: Cast off 2 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next and every alternate row to 37 sts. on needle *(16 and 18—39 sts.) (20—41 sts.)* then every row to 15 sts. on needle. *(16 and 18—17 sts.) (20—19 sts.).* Cast off remaining sts.

TO MAKE UP: Block and Press each piece as given on page 29. Sew side, shoulder and sleeve seams. Sew in sleeves. Sew buttons to correspond to buttonholes.

PULLOVER *(Continued from page 22)*

Next round: K1. *K2tog. K2. Repeat from * to last 3 sts. K3. 76 sts. in round.
*(16—K1. *K2tog. K2. Repeat from * to last 3 sts. K2tog. K1. 78 sts. in round)*
*(18—Knit 1st. st. onto end of 3rd needle. *K2tog. K2. Repeat from * to last 4 sts. (K2tog.) twice. 80 sts. in round).*
Work 2¼ ins. (K1. P1) ribbing. Cast off **loosely** in ribbing.

TO MAKE UP: Block and Press each piece as given on page 29. Sew side and sleeve seams. Sew in sleeves at underarms.

Pullover for Ladies and Misses

Featuring a Circular Yoke

Shown on page 23 (right)

MATERIALS:
Colour is used to good effect in the beautifully shaped round yoke of this pullover which is knitted with Beehive Superior Double Knitting. You will require:—7 (2 oz.) balls of Main Colour. *(16—7 balls)* *(18—8 balls)* and 2 balls of Contrasting Colour *(all sizes)*. Two No. 10 and two No. 8 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with Beehive Superior Double Knitting. One No. 8 Circular Knitting Needle, 24 ins. long. Set of 4 No. 10 Queen Bee Knitting Needles with points at both ends.

MEASUREMENTS:	Size 14	Size 16	Size 18
Bust measurement	32 ins.	34 ins.	36 ins.
Bust measurement of finished garment	34 "	36 "	38 "
Length at centre back (excluding neckband)	21 "	21 "	21 "
Length of sleeve underarm seam	16½ "	16½ "	16½ "

Tension: 10½ sts. and 14 rows = 2 ins. with No. 8 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 14. Any changes necessary for sizes 16 and 18 are written in brackets thus:—( ).

BACK: With No. 10 needles cast on 85 sts. *(16—91 sts.)* *(18—97 sts.)*.

1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K1. Repeat from * to end of row.
Repeat these 2 rows of (K1. P1) ribbing for 3 ins. ending with 2nd row.

Change to No. 8 needles and continue even in Stocking st. until work measures 12½ ins. from beginning, or desired length, ending with purl row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished bust measurement, whilst retaining the desired length.

To shape armholes: Cast off 3 sts. *(16—4 sts.)* *(18—5 sts.)* beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 69 sts. on needle. *(16—73 sts.)* *(18—75 sts.)*.

Work 3 rows even. *(16—3 rows)* *(18—1 row)*.
Break wool and leave these sts. on a thread.

FRONT: With No. 10 needles cast on 85 sts. *(16—91 sts.)* *(18—97 sts.)* and work exactly as given for Back until work measures same as Back to armholes.

To shape armholes: Cast off 3 sts. *(16 and 18—4 sts.)* beginning next 2 rows for all sizes.

Sizes 14 and 16: Dec. 1.st. each end of needle on next and following alternate row. 75 sts. on needle. *(16—79 sts.)*. Work 1 row even.

Size 18: Dec. 1.st. each end of needle on next 4 rows. 81 sts. on needle.

Break wool and leave these sts. on a thread.

LEFT SLEEVE: With No. 10 needles cast on 37 sts. *(16—37 sts.)* *(18—39 sts.)*.
Work 3 ins. (K1. P1) ribbing as given for Back ending with 1st. row.
Next row: Rib, increasing across row to 43 sts. on needle. *(16—44 sts.)* *(18—47 sts.)*.

Change to No. 8 needles and continue in Stocking st. inc. 1.st. each end of needle on 7th and every following 6th row to 67 sts. on needle. *(16—70 sts.)* *(18—73 sts.)*.

Continue even until sleeve measures 16½ ins. from beginning, or desired length, ending with purl row.

To shape cap: Cast off 3 sts. *(16 and 18—4 sts.)* beginning next 2 rows.
Dec. 1.st. each end of needle on next and following alternate row. 57 sts. on needle. *(16—58 sts.)* *(18—61 sts.)*. Purl 1 row. Proceed:—

****1st row:** K2tog. K45. *(16—K2tog. K46)* *(18—K2tog. K48)*. Turn.
2nd and alternate rows: Slip 1st. st. Purl to end of row.
3rd row: K2tog. K34. *(16—K2tog. K34)* *(18—K2tog. K36)*. Turn.
5th row: K2tog. K22. *(16—K2tog. K22)* *(18—K2tog. K24)*. Turn.
7th row: K2tog. K10. *(16—K2tog. K10)* *(18—K2tog. K11)*. Turn.
8th row: Slip 1st. st. Purl to end of row.****
Break wool and leave these sts. on a thread.

RIGHT SLEEVE: Work exactly as given for Left Sleeve until sleeve measures 16½ ins. from beginning ending with **knit** row.

To shape cap: Cast off 3 sts. *(16 and 18—4 sts.)* beginning next 2 rows.
Dec. 1.st. each end of needle on next (a purl row) and following alternate row. Knit 1 row.
Substituting purl rows for knit rows and knit rows for purl rows, work from ** to ** as given for Left Sleeve. Break wool.

YOKE: Having right side of each piece facing, slip sts. of Left Sleeve onto circular needle, then sts. of Front, Right Sleeve and Back.

Size 14: Slip 1st. st. from Left Sleeve onto other end of circular needle with sts. of Back and mark next st. of Left Sleeve as beginning of round. On the 1st. row of pattern, the 10th st. of Chart will be the centre st. of both Front and Back 250 sts. in round.

Size 16: Slip last st. of Back onto other end of circular needle with sts. of Left Sleeve and mark this st. as beginning of round. On the 1st. row of pattern the 5th st. of Chart will be the centre st. of both Front and Back. 260 sts. in round.

Size 18: Slip last 2 sts. of Back onto other end of circular needle with sts. of Left Sleeve and mark the 2nd slipped st. as beginning of round. On the 1st. row of pattern, the 10th st. of Chart will be the centre st. of both Front and Back. 270 sts. in round.

Note: The coloured pattern is worked in the Stranded Method by carrying the wool not in use, **loosely** across back (purl side) of work, see page 24.

Join wools and knit in rounds on the circular needle, reading every round from right hand side of Chart to end of 43rd round.
Change to set of 4 needles for last 3 rounds. Break Main Colour. 100 sts. in round. *(16—104 sts.)* *(18—108 sts.)*.
Knit 1 round.

(Continued on page 21)



Smooth and Swish

CARDIGAN (left) see page 21

PULLOVER (right) see page 22

Pullover for Men

The Nordic Influence
Shown on Cover (right)

MATERIALS:
This handsome pullover will surely please the man who likes a colourful sweater. It is knitted with Beehive Superior Double Knitting and requires 7 (2 oz.) balls Main Colour (B). (*40 and 42—8 balls*). 3 balls Contrasting Colour (A) for Yoke and Collar. 2 balls Contrasting Colour (C) for Lion and Star design. Two No. 10 and two No. 8 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with Beehive Superior Double Knitting. Set of 4 No. 10 Queen Bee Knitting Needles with points at both ends.

MEASUREMENTS:	Size 38	Size 40	Size 42
Chest measurement	38 ins.	40 ins.	42 ins.
Chest measurement of finished garment	40 "	42 "	44 "
Length from top of shoulder	23 "	23½ "	23½ "
Length of sleeve underarm seam	18 "	18 "	18 "

Tension: 10½ sts. and 14 rows = 2 ins. with No. 8 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 38. Any changes necessary for sizes 40 and 42 are written in brackets thus:—( ).

BACK: With (B) wool and No. 10 needles cast on 100 sts. (*40—106 sts.*) (*42—110 sts.*).

Work 3½ ins. (K1. P1) ribbing, inc. 1.st. at end of last row.

Change to No. 8 needles and knit 1 row, purl 1 row.

Note: The coloured patterns are worked in the Stranded Method by carrying the wool not in use, **loosely** across back (purl side) of work, see below. When working the Lions and Stars in Yoke and Cap of Sleeve, use a separate ball of wool for each Lion and each Star and strand the background colour behind them, being sure when using each design colour for first time in row to pass it underneath and around to right of background colour to prevent a hole.

Beginning **every** row from right hand side, work from Chart (A), see page 25, to end of Chart. Break (A) and (C).

With (B), continue even in Stocking st. until work measures 15 ins. from beginning, or desired length, ending with purl row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished chest measurement, whilst retaining the desired length.

To shape armholes: Cast off 6 sts. (*40 and 42—7 sts.*) beginning next 2 rows.

Beginning **every** row from right hand side, work from Chart (B), see page 25, dec. 1.st. each end of needle on 1st. and every alternate row to 75 sts. on needle. (*40—77 sts.*) (*42—79 sts.*).
Work even to end of Chart.
With (A), continue even in Stocking st. until armhole from first shaping measures 8 ins. (*40 and 42—8½ ins.*) ending with purl row.

To shape shoulders: Cast off 8 sts. beginning next 2 rows, 7 sts. beginning following 4 rows.
(*40—Cast off 8 sts. beginning next 4 rows, 7 sts. beginning following 2 rows*)
(*42—Cast off 8 sts. beginning next 6 rows*).
Do not break wool, but leave remaining 31 sts. on spare needle.

FRONT: With (B) wool and No. 10 needles cast on 100 sts. (*40—106 sts.*) (*42—110 sts.*) and work exactly as given for Back to end of Chart (B).
With right side of work facing and (A) wool, proceed:—

To shape neck: K27. (*40—K28*) (*42—K29*). Leave remaining sts. on spare needle. Turn.
Working on these 27 sts. (*40—28 sts.*) (*42—29 sts.*) continue in Stocking st. dec. 1.st. at neck edge every row to 22 sts. on needle. (*40—23 sts.*) (*42—24 sts.*).
Continue even until armhole measures same as Back to shoulders.

To shape shoulder: At armhole edge, cast off 8 sts. every alternate row once, 7 sts. twice.
(*40—Cast off 8 sts. every alternate row twice, 7 sts. once*)
(*42—Cast off 8 sts. every alternate row 3 times*).

Leaving next 21 sts. on spare needle for front of neck, with right side of work facing, join (A) wool at neck edge to remaining sts. and work other side to correspond.

COLLAR: Sew shoulder seams. With right side of work facing, set of 4 needles and using (A) ball attached to Back, knit across sts. at back of neck. Dividing sts. on 3 needles as sts. are picked up, pick up and knit 17 sts. (*40—18 sts.*) (*42—19 sts.*) along left side of neck. Knit across sts. from spare needle at front of neck. Pick up and knit 17 sts. (*40—18 sts.*) (*42—19 sts.*) along right side of neck. 86 sts. in round. (*40—88 sts.*) (*42—90 sts.*).
Join in round and work 5½ ins. (K1. P1) ribbing. Cast off **loosely** in ribbing.

SLEEVES: With (B) wool and No. 10 needles cast on 44 sts. (*all sizes*).
Work 3 ins. (K1. P1) ribbing, increasing across last row to 53 sts. on needle. (*all sizes*).

Change to No. 8 needles and knit 1 row, purl 1 row.

Beginning **every** row as marked for sleeve, work from Chart (A), see page 25, to correspond to lower edges of Back and Front, to end of Chart. Break (A) and (C).

With (B), continue in Stocking st. inc. 1.st. each end of needle on next and every following 6th row to 77 sts. on needle. (*40—79 sts.*) (*42—81 sts.*).
Continue even until sleeve measures 18 ins. from beginning, or desired length, ending with purl row.

To shape cap: Cast off 1.st. (*40—2 sts.*) (*42—3 sts.*) beginning next 2 rows.
Dec. 1.st. each end of needle on next and following alternate row. 71 sts. on needle. (*all sizes*). Purl 1 row.

Beginning **every** row from right hand side, work from Chart (C), see page 25, dec. 1.st. each end of needle on 1st. row and as shown on Chart to end of Chart. Cast off.

TO MAKE UP: Block and Press each piece as given on page 29. Darn in ends. Sew side and sleeve seams. Sew in sleeves.

THE STRANDED METHOD

Carry wool not in use **loosely** across back (purl side) of work but never over more than 3 sts. When it must pass over more than 3 sts. weave it over and under colour in use on next st. or at centre point of sts. it passes over as follows:—
Hold stranded colour in left hand, letting it pass over left forefinger. Put point of right hand needle into st. as usual and then **under** stranded colour. Knit the st. being careful to bring only required colour through and onto right hand needle. Lower stranded colour when knitting next st. and you will see that it has passed over and under colour being used for knitting. By stretching sts. just worked along right hand needle, be sure wool is not stranded too tightly or too loosely, before working with next colour.



Wrong side of Stranded Method

MAIN COLOUR (B)

CONTRASTING COLOUR (A)

CONTRASTING COLOUR (C)

CHART (A)



Work each row from right hand side to centre st. then back to right hand side again.

CHART (B)



Work each row from right hand side to centre st. then back to right hand side again.

CHART (C)



Work each row from right hand side to centre st. then back to right hand side again.

Cardigan for Men

With High "V" Neck

Shown on page 27 (right)

MATERIALS:
The look of quality is well expressed in the textured surface of this cardigan. The knitting is very easy when you are sure to use Beehive Superior Double Knitting, the wool for which these instructions were carefully compiled. You will need:—11 (2 oz.) balls. *(38—11 balls) (40 and 42—12 balls).* Two No. 10 and two No. 8 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with Beehive Superior Double Knitting. 6 Buttons.

MEASUREMENTS	Size 36	Size 38	Size 40	Size 42
Chest measurement	36 ins.	38 ins.	40 ins.	42 ins.
Chest measurement of finished garment	38 "	40 "	42 "	44 "
Length from top of shoulder	24 "	24 "	24½ "	24½ "
Length of sleeve underarm seam	18 "	18 "	18 "	18 "

Tension: 10½ sts. and 14 rows = 2 ins. with No. 8 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

PATTERN: **1st row:** K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. Purl to last st. K1.

The instructions are written for size 36. Any changes necessary for sizes 38, 40 and 42 are written in brackets thus:—( ).

BACK: With No. 8 needles cast on 85 sts. *(38—89 sts.) (40—95 sts.) (42—101 sts.).*
Knit 12 rows Garter st. (plain knitting every row).

13th row: Knit, increasing across row to 95 sts. on needle. *(38—99 sts.) (40—105 sts.) (42—111 sts.).*

Continue even in pattern until work measures 16 ins. from beginning, or desired length, ending with purl row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished chest measurement, whilst retaining the desired length.

To shape armholes: Keeping continuity of pattern, cast off 5 sts. *(38—6 sts.) (40—7 sts.) (42—8 sts.)* beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 75 sts. on needle. *(38—75 sts.) (40—77 sts.) (42—79 sts.).*

Continue even until armhole from first shaping measures 8 ins. *(38—8 ins.) (40 and 42—8½ ins.)* ending with purl row.

To shape shoulders: Keeping continuity of pattern, cast off 8 sts. beginning next 4 rows, 7 sts. beginning following 2 rows. *(38 as 36) (40 and 42—Cast off 8 sts. beginning next 6 rows).*
Cast off remaining sts.

RIGHT FRONT: **To make pocket piece:** With No. 8 needles cast on 25 sts. Work 4½ ins. even in Stocking st. ending with purl row. Break wool. Leave these sts. on spare needle.

With No. 8 needles cast on 46 sts. *(38—50 sts.) (40—52 sts.) (42—54 sts.).*
Knit 12 rows Garter st.
13th row: Increasing 5 sts. evenly spaced, knit to last 7 sts. K7. 51 sts. on needle. *(38—55 sts.) (40—57 sts.) (42—59 sts.).*
Proceed:—

1st row: K8. *P1. K1. Repeat from * to last st. K1. (side edge).
2nd row: K1. Purl to last 7 sts. K7. (The last 7 sts. form Garter st. border at front edge).
These 2 rows complete one pattern for Right Front.

Repeat these 2 rows until work measures 4½ ins. from beginning (cast-on edge) ending with 1st. row at side edge.

To make pocket edge: 1st row: K1. P5. *(38 and 40—K1. P9) (42—K1. P11).* K25 for pocket edge. Purl to last 7 sts. K7.

2nd row: K8. (P1. K1)6 times. *(38 as 36) (40 and 42—K8. (P1. K1)7 times).* K26. *P1. K1. Repeat from * to last st. K1.
Repeat these 2 rows twice more, ending at side edge.

7th row: K1. P5. *(38 and 40—K1. P9) (42—K1. P11).* Cast off 25 sts. knitways. Purl to last 7 sts. K7.
8th row: K8. Work in pattern to cast-off sts. Knit the 25 sts. of pocket piece. Work in pattern to end of row.

Keeping Garter st. border at front edge, continue even in pattern until same length as Back to armholes, ending at side edge.

To shape armhole: Keeping continuity of pattern, cast off 5 sts. *(38 and 40—7 sts.) (42—8 sts.)* beginning next row for armhole, then dec. 1.st. at armhole edge on next and following alternate row and end at front edge.

To shape neck: K7. K2tog. (thus dec. 1.st. inside border). Work in pattern to last 2 sts. K2tog.
Continue in pattern, dec. 1.st. at armhole edge every alternate row, at same time, dec. 1.st. at neck edge every 4th row to 39 sts. on needle. *(38—38 sts.) (40 and 42—40 sts.).*
Keeping armhole edge even, continue dec. 1.st. inside border at neck edge every 4th row as before to 30 sts. on needle. *(38—30 sts.) (40 and 42—31 sts.).*
Keeping Garter st. border at front edge, continue even in pattern until armhole measures same as Back to shoulders.

To shape shoulder: Keeping continuity of pattern, at armhole edge, cast off 8 sts. every alternate row twice, 7 sts. once. *(38 as 36) (40 and 42—Cast off 8 sts. every alternate row 3 times).*
On remaining 7 sts. knit 2¼ ins. *(38—2¼ ins.) (40 and 42—3 ins.)* Garter st. to be sewn across one half of back of neck. Cast off.

LEFT FRONT: Make pocket piece as given for Right Front.

With No. 8 needles cast on 46 sts. *(38—50 sts.) (40—52 sts.) (42—54 sts.).*
Knit 5 rows Garter st.
6th row: (1st. buttonhole). Knit to last 5 sts. Cast off 2 sts. K3.
7th row: K3. Cast on 2 sts. Knit to end of row.
Knit 5 rows Garter st.

13th row: K7. Increasing 5 sts. evenly spaced, knit to end of row. 51 sts. on needle. *(38—55 sts.) (40—57 sts.) (42—59 sts.).*
Proceed:—

1st row: K2. *P1. K1. Repeat from * to last 7 sts. K7. (The last 7 sts. form Garter st. border at front edge).
2nd row: K7. Purl to last st. K1. (side edge).
These 2 rows complete one pattern for Left Front.

Working 5 more buttonholes 2¼ ins. apart and being careful to make pocket edge and insert pocket piece 6 sts. *(38 and 40—10 sts.) (42—12 sts.)* from side edge, continue even in pattern until work measures same as Back to armholes, ending at side edge.

To shape armhole: Keeping continuity of pattern, cast off 5 sts. *(38 and 40—7 sts.) (42—8 sts.)* beginning next row for armhole, then dec. 1.st. at armhole edge, every alternate row twice and end at armhole edge.

To shape neck: K2tog. Work in pattern to last 9 sts. Sl.1. K1. p.s.s.o. (thus dec. 1.st. inside border). K7.
Continue to correspond to Right Front.

SLEEVES: With No. 10 needles cast on 41 sts. *(38—41 sts.) (40 and 42—43 sts.).*
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K1. Repeat from * to end of row.
Repeat these 2 rows of (K1. P1) ribbing for 3 ins. ending with 1st. row.

(Continued on page 28)

Trim and Smart for Anytime Wear

SLEEVELESS PULLOVER see page 28

"V" NECK CARDIGAN see page 26

Pullover for Men

Sleeveless with Knit-in Borders

Shown on page 27 (left)

MATERIALS:
Easy-to-knit and so good looking when you are sure to use Beehive Superior Double Knitting, this pullover will be well received by the man in your life. You will require:—5 (2 oz.) balls. (*38—5 balls*) (*40 and 42—6 balls*). Two No. 10 and two No. 7 Queen Bee Knitting Needles or whichever needle size you require to produce the tension given below with Beehive Superior Double Knitting. One Stitch Holder. You will find this same style for sizes 2, 4 and 6 in Beehive Book No. 71 and for sizes 8, 10 and 12 in Beehive Book No. 60.

MEASUREMENTS:	Size 36	Size 38	Size 40	Size 42
Chest measurement	36 ins.	38 ins.	40 ins.	42 ins.
Chest measurement of finished garment	37 "	39 "	41 "	43 "
Length from top of shoulder	21½ "	21½ "	22 "	22 "

Tension: 10 sts. and 13 rows = 2 ins. with No. 7 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 36. Any changes necessary for sizes 38, 40 and 42 are written in brackets thus:—( ).

BACK: With No. 10 needles cast on 88 sts. (*38—92 sts.*) (*40—98 sts.*) (*42—102 sts.*).
Work 4 ins. (K1. P1) ribbing.

Change to No. 7 needles and continue even in Stocking st. until work measures 12 ins. from beginning, or desired length, ending with purl row.
When knitted to correct tension, work should stretch very easily in width, to one half of the finished chest measurement whilst retaining the desired length.

Next row: Knit.
Next row: K12. P64. K12. (*38—K13. P66. K13*) (*40—K14. P70. K14*) (*42—K15. P72. K15*).
Repeat these 2 rows 3 times more.

To shape armholes: 1st row: Cast off 6 sts. (*38—7 sts.*) (*40—8 sts.*) (*42—9 sts.*). Knit to end of row.

STITCHCRAFT

A Monthly Magazine for Knitters

Published in England. Every issue packed with illustrations and complete instructions for knitting, embroidery, needlework and all kinds of handwork. To avoid disappointment, place a definite order with your newsstand or supplier. If you prefer to have your copies sent by mail, send $3.50 to Gordon & Gotch Ltd., 244 Bay St., Toronto 1, Ontario, to cover a full year's subscription—a new magazine every month.

2nd row: Cast off 6 sts. (*38—7 sts.*) (*40—8 sts.*) (*42—9 sts.*) K6. Purl to last 6 sts. K6. 76 sts. on needle. (*38—78 sts.*) (*40—82 sts.*) (*42—84 sts.*).

3rd row: K6. K2tog. Knit to last 8 sts. Sl.1. K1. p.s.s.o. K6.
4th row: K6. Purl to last 6 sts. K6.
Repeat 3rd and 4th rows to 68 sts. on needle. (*38—70 sts.*) (*40—72 sts.*) (*42—74 sts.*).

Being sure to K6 at beginning and end of every purl row (for Garter st. borders) continue even in Stocking st. until armhole from first shaping measures 8 ins. (*38—8 ins.*) (*40 and 42—8½ ins.*).

To shape shoulders: Cast off 7 sts. beginning next 4 rows, 7 sts. (*38—7 sts.*) (*40 and 42—8 sts.*) beginning following 2 rows. Cast off remaining sts.

FRONT: With No. 10 needles cast on 88 sts. (*38—92 sts.*) (*40—98 sts.*) (*42—102 sts.*) and work exactly as given for Back to 76 sts. on needle. (*38—78 sts.*) (*40—82 sts.*) (*42—84 sts.*).

Next row: K6. K2tog. Knit to last 8 sts. Sl.1. K1. p.s.s.o. K6.
Next row: K6. Purl to last 6 sts. K6.
Repeat these 2 rows to 70 sts. on needle. (*38—72 sts.*) (*40—74 sts.*) (*42—76 sts.*) ending with purl row.

To shape neck: K6. K2tog. K22. (*38—K6. K2tog. K23*) (*40—K6. K2tog. K24*) (*42—K6. K2tog. K25*). Sl.1. K1. p.s.s.o. K6. (neck edge). Leave remaining sts. on st. holder. **Turn.**

Working on these 36 sts. (*38—37 sts.*) (*40—38 sts.*) (*42—39 sts.*) being sure to K6 at beginning and end of every purl row and keeping armhole edge even, dec. 1.st. inside border at neck edge every 4th row to 27 sts. on needle. (*38—27 sts.*) (*40 and 42—28 sts.*). Continue even until armhole measures same as Back to shoulders.

To shape shoulder: Keeping Garter st. border at neck edge, at armhole edge, cast off 7 sts. every alternate row twice, 7 sts. (*38—7 sts.*) (*40 and 42—8 sts.*) once.
On remaining 6 sts. knit 2¾ ins. (*38—2¾ ins.*) (*40 and 42—3 ins.*) Garter st. to be sewn across one half of back of neck. Cast off.

With right side of work facing, join wool at neck edge and cast on 6 sts. Knit these 6 sts. K2tog. Knit to last 8 sts. Sl.1. K1. p.s.s.o. K6. 36 sts. on needle. (*38—37 sts.*) (*40—38 sts.*) (*42—39 sts.*). Continue to correspond to other side.

TO MAKE UP: Block and Press each piece as given on page 29. Sew side and shoulder seams. Sew the cast-off sts. of neckband together and placing this seam at centre back of neck, sew in position. Sew the 6 cast-on sts. in position on wrong side of front of neck.

CARDIGAN *(Continued from page 26)*

Next row: Rib, increasing across row to 49 sts. on needle. (*38—49 sts.*) (*40 and 42—51 sts.*).

Change to No. 8 needles and work 6 rows even in pattern.
Keeping continuity of pattern and working increased sts. in pattern, inc. 1.st. each end of needle on next and every following 6th row to 75 sts. on needle. (*38—77 sts.*) (*40—79 sts.*) (*42—81 sts.*). Continue even until sleeve measures 18 ins. from beginning, or desired length, ending with purl row.

To shape cap: Keeping continuity of pattern, cast off 2 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next 3 rows. Purl 1 row.
Repeat last 4 rows to 17 sts. on needle. (*38—19 sts.*) (*40—15 sts.*) (*42—17 sts.*). Cast off remaining sts.

TO MAKE UP: Block and Press each piece as given on page 29. Sew side, shoulder and sleeve seams. Sew in sleeves. Sew the cast-off sts. of neckband together and placing this seam at centre back of neck, sew in position. Sew pocket pieces in position on wrong side. Sew buttons to correspond to buttonholes.

THE WASHING OF WOOLLIES

Well knitted woollies are worthy of careful treatment. They will give long service and keep their shape and softness if this simple routine is followed:—

BEFORE WASHING

Take garment measurements, noting chest measurement, body and sleeve lengths.

WASHING

Dissolve completely a little soap, flakes or powder, cold water soap or good detergent in a small quantity of hot water.

Add cold water until the soap suds are only lukewarm (too hot for the elbow is altogether too hot for woollies). Detergents require much cooler water.

Place the garment in the suds and squeeze gently. Do not rub or leave to soak.

When the garment is clean, squeeze as much water out as possible but do not wring or twist.

Keep the garment supported by the hands whenever it is removed from the water.

RINSING

Rinse at least twice in clean water, no warmer than the washing suds. *Every trace of soap must be removed.*

Be sure to add a few drops of white vinegar to the final rinse water. This is most important, when more than one shade is in the garment, particularly when one is WHITE.

DRYING

Never let woollies lie wet. Remove all moisture at once by rolling in a thick towel.

Lay garment on a flat surface away from excessive heat AND SUNLIGHT.

Gently push it back to its original size and shape as indicated by measurements taken before washing. Wrinkles may occur but these will tend to disappear as garment dries. *Do not hang up.* Dry on a flat surface.

NOTE:

Most washing troubles are caused by:—
TOO HOT WATER, TOO MUCH SOAP, TOO MUCH RUBBING, TOO LITTLE RINSING, INCORRECT TENSION AND IMPROPER SHAPING.

PATONISED WOOLS

To ensure the fullest benefit of increased wearing properties, it is recommended that the foregoing washing routine be followed for garments knitted from Patonised Shrink-resist wools.

CHECK TENSION

The garments in this book are worked to the exact tension given. They are closely knitted to ensure a firm fabric that will wear better and keep its shape longer than a loosely knitted fabric. **Check your tension.** Before beginning your garment take the wool and needles specified. Cast on 20 stitches. Work 20 rows stocking stitch. Lay work flat on a table and place a ruler across the stitches. Count the number of stitches to one inch and compare with the tension given in the instructions. All given tension in Beehive instructions is measured over stocking stitch. If your tension is too loose try a size smaller needle. If your tension is too tight try a size larger needle.

Be sure to work to exact tension given if you want your garment to work to correct size.

WOOLS TO USE

Every instruction in this book has been carefully prepared with the wool recommended; for perfect satisfaction be sure to use only the wool specified.

When purchasing the wool, be sure to buy enough *in one dye lot* to complete the garment chosen and avoid trouble in having to match the shade later.

TO BLOCK AND PRESS

Place all knitted pieces on a pad, right side down, measure and pin them to size and shape using rustless pins. Cover with a damp cloth. Holding a hot iron close enough to the cloth to draw steam, smooth over each piece, except for the ribbed bands. Do not press the iron on the work at any time. Remove cloth and leave pieces to dry.

ABBREVIATIONS

KNITTING:
K—knit plain.
P—purl.
sl.—slip.
st.—stitch.
sts.—stitches.
w.o.n.—wool over needle.
w.r.n.—wool round needle.
tog.—together.
ins.—inches.
wl.fwd.—wool forward.
p.s.s.o.—pass slip stitch over.
t.b.l.—through back of loops.
inc.—increase.
dec.—decrease.

CROCHET:
s.c.—single crochet.
d.c.—double crochet.
s.s.—slip stitch.
h.tr.—half treble.
h.d.c.—half double crochet.
w.o.h.—wool over hook.
d.tr.—double treble.
l.tr.—long treble.
ch.—chain
tr.—treble.

The star symbol (★)—This indicates that the directions immediately following are to be repeated. When directions call for repeating a given number of times, it is understood this is in addition to the original. Thus, repeat 3 times means 4 times altogether.

To knit "even"—The row or work is knitted without increasing or decreasing.

Important: When the instructions read—Cast off 2 sts. K2. (or similar sts.) the stitch on the right hand needle after casting off, is counted as 1 stitch.

TRADUCTION FRANÇAISE

TRICOTER:
K—tricoter à l'endroit.
P—tricoter à l'envers.
w.r.n.—une maille jetée à l'envers.
sl.—glisser.
p.s.s.o.—passer la maille glissée par dessus.
w.o.n.—passer la laine par-dessus l'aiguille.
wl.fwd.—une maille jetée à l'endroit.
t.b.l.—tricoter par derrière la maille.
ins.—pouces.
tog.—ensemble.
inc.—augmenter.
dec.—diminuer.

To knit even—Tricoter sans augmenter ni diminuer.

The star symbol (★)—L'astérisque indique que les directions qui suivent doivent être répétées. Si on demande de répéter un certain nombre de fois, il est entendu que c'est en plus de l'original, tel que ★ répéter 3 fois veut dire 4 fois en tout.

CROCHET:
ch.—chaine.
tr.—triple crochet.
l.tr.—triple crochet. (long).
w.o.h.—Passer la laine sur le crochet.
h.tr.—Demi triple crochet.
s.c.—simple crochet.
d.c.—double crochet.
d.tr.—double triple.
h.d.c.—demi crochet.
s.s.—maille glissée.

ARMHOLE—Emmanchure. NECK EDGE—Encolure. CAST OFF—Rabattre. GARTER STITCH—Point de jarretière, tous les rangs à l'endroit. STOCKING STITCH—Point Jersey. Un rang à l'endroit. Un rang à l'envers. MOSS OR SEED STITCH —1er rang. 1 maille à l'endroit. 1 maille à l'envers. 2e rang. = 1 maille à l'envers vis-à-vis des mailles à l'endroit et 1 maille à l'endroit vis-à-vis des mailles à l'envers.

11—Published with all rights reserved by Patons & Baldwins (Canada) Limited, Toronto 19

PATONS BEEHIVE SCOTCH FINGERING
2, 3 AND 4 PLY

Spun from pure virgin wool, Patons Beehive Fingering has met all the rigid tests required for the Woolmark.

The International Mark of Quality

A selection of Canada's most popular knitting books—all by Beehive

No. 96

No. 87

No. 92

No. 94

No. 97

No. 90



No. 91

No. 89

No. 98

No. 80

No. 55

No. 68

For FREE folder illustrating complete BEEHIVE KNITTER'S LIBRARY of books and leaflets, or in case of difficulty write:

PATONS & BALDWINS (CANADA) LIMITED : TORONTO 19